

## References

- Ahmad, I. and F. Aquil (2003) Anti MRSA activity of certain Indian medicinal plants, *National Symposium on Emerging Trends in Indian Medicinal Plants*, Lucknow, p.13-14 (2-0/1), Oct. 10-12, 2003.
- Aiyer, K. N. (1951). *Pharmacognosy of Ayurvedic Drugs*. The Central Research Institute, Univ. of Travancore, Trivandrum, Kerala.
- Alexandrakis, K. et al (2003). Flavones inhibit proliferation and increase mediator content in human leukemic mast cells (HMC-1). *Eur. J. Haematol.* **71**: 448-454.
- Ali, A., S. T. Abdullah and H. Hamid (2003). Two new pentacyclic triterpenoids glycosides from the bark of *T. arjuna*, *Ind. J. Chem.*, **42 (11)**: 2905 – 2908.
- Alston, R. E. and B. L. Turner (1963). *Biochemical Systematics*. Englewood Cliffs, N. J.
- Alston, R. E. and H. S. Irwin (1961). The comparative extent of variation of free amino acids and certain secondary substances among *Cassia* sp. *Amer. J. Bot.* **48**: 35-39.
- Amarasingham, R. D., et al., (1964). Phytochemical Survey of Malaya, Part III: Alkaloids and saponins. *Econ. Bot.* **18(3)**: 270.
- Amrita, S. and D. K. Singh (2001). Molluscidal activity of *Lawsonia inermis* and its binary and tertiary combinations with other plant derived molluscides. *Ind. J. Exp. Biol.* **39(3)**: 263-268.
- Anonymous (1985-1999). *The Wealth of India, Raw Materials*, Vol. I to X, CSIR, New Delhi.
- Anonymous (1998). Quercetin (Monograph) *Alt. Med. Rev.* **3**: 140-143.
- Anonymous (2000). *The Wealth of India, Raw. First Supplement Series (Raw Materials)*, Vol. I, II, CSIR, New Delhi.
- Anonymous, (2004). *Kaempferol biosynthesis*. International union of biochemistry and molecular biology, U. K.
- Asthana, J. G. et al., (2001). Evaluation of antileprosy herbal drug combinations and their combinations with dapsone. *Indian Drugs.* **38(2)**: 82-86.
- Bailey, I.W. (1951). The use and abuse of anatomical data in the study of phylogeny and classification. *Phytomorphology*, **1**: 69-76.

- Behnke, H. D. (1984). Ultrastructure of sieve – element plastids of Myrtales and allied groups. *Ann. Miss. Bot. Gard.* 71: 824-831.
- Behnke, H. D. (1988). Sieve – element plastids and systematic relationships of Rhizophoraceae, Anisophylleaceae and allied group. *Ann. Miss. Bot. Gard.* 75: 1387-1409.
- Bhaduria, M. et al., (2002). Effect of proprietary herbal formulation against chronic carbon tetrachloride induced hepatotoxicity, *Ind. J. Exp. Biol.*, 40(11):1254-1259.
- Bharate, S. B., K. K. Bhutani and I. P. Singh, Synthesis of phloroglucinol derivatives and evaluation as free – radical scavengers. *Chem. Biol. Interface: Synergistic New Frontiers*, New Delhi, India, pp. 22-55, Nov. 21-26.
- Bhuvaneshwari, K. et al. (2002). Inhibitory concentrations of *Lawsonia inermis* dry powder for urinary pathogens. *Ind. J. Pharm.*
- Bridgewater, S. D. and P. Baas (1978). Wood Anatomy of the Punicaceae. *IAWA Bull.* 1: 3-6.
- Caltagirone, S. et al., (1997). Interaction with type II estrogen binding sites and antiproliferative activity of tamoxifen and quercetin in human non-small-cell lung cancer. *Am. J. Respir. Cell Mol. Biol.* 17: 51-59.
- Chen, Y. T. et al., (1990). Flavonoids as superoxide scavengers and antioxidants. *Free Radic. Biol. Med.* 9: 19-21.
- Chopra, R. N. et al (1956). *Glossary of Indian Medicinal Plants*. CSIR, New Delhi.
- Chumkaew, P. et al. (2005). A new triterpenoid ester from the fruits of *Bruguiera parviflora*. *Chem. Pharm. Bull.*, 53(1):95-96.
- Cooke, T. (1958). *The Flora of Bombay Presidency*. Calcutta, India.
- Coombes, P. H. and C. B. Rogers (2002). Methyl gardenolate A, a novel cycloartenoid ester from the leaves of *Combretum woodii* (Combretaceae). *Natural Product Letters* 16(5): 301-304.
- Cronquist, A. (1981). *An integrated system of class of flowering plants*. Columbia University Press, New York.
- Cutler, C.B., (1984). Systematic anatomy and embryology – recent developments. In Heywood V.H. and Moore D.M. (Eds), *Curr. concepts of plant taxonomy*: p 107-133.

- Czaja, A. (1978). Structure of starch grains and classification of vascular plant families, *Taxon* **27**: 463-470.
- Dahlgren, R. M. T. (1980). A revised system of classification of the angiosperms. *Bot. J. Linn. Soc.* **80**:91-124.
- Daniel, M. (1989). Polyphenols of some Indian Vegetables, *Curr. Sci.* **58**: 1332 – 1334.
- Daniel, M. (2004). *Medicinal Plants: Chemistry and Properties*. Science Publishers, New Hampshire, USA.
- Daniel M. (2005). Phenolics of some Indian Medicinal Plants, *Applied Botany Abstracts* **25(1)**: 63 – 74.
- Daniel, M. (2008), *Herbal Technology: Concepts and Approaches*. Satish Serial Publishers, New Delhi.
- Das. P. V. et al. (2004). *A Handbook of Medicinal Plants – A Complete Source Book*. Agrobios India, Jodhpur.
- David, P. H. and V. H. Heywood (1967). *Principles of Angiosperm Taxonomy*. Oliver and Boyd. Edinburgh.
- De Eds, F. (1968). In: *Comprehensive Biochemistry* (M. Florkin and E. H. Stotz ed.) Elsevier publishing Co., Amsterdam.
- De, Orta (1563). *Samples of drugs of India*, Henry Sotheran & Co. London.
- Dey, D. and M. N. Das (1987). Identification of the flowers of *Woodfordia fruticosa* from pharmacognostic point of views. *Indian Biologist* **19(2)**: 7 – 15.
- Dickison, M. C. (1975). The base of Angiosperm phylogeny, vegetative anatomy. *Ann. Miss. Bot. Gard.* **62**: 590-620.
- Duke J.A. (1997) *The Green Pharmacy*. Rodale Press, PA, USA.
- Engler, A. and K. Prantl (1887-1915). *Die naturlichen pflanzenfamilien*, 1<sup>st</sup> ed. Leipzig.
- Fatima S. et al. (2000). Clinical evaluation of Some Unani drugs on Sailan – ur – Reham. *Hamhard Medicus*, **43(1)**: 13-21.
- Frankel, E. N. and A. S Meyer (2000). The problems of using one dimensional methods to evaluate multifunctional food and biological antioxidants, *J. Sci. Food Agric.*, **80**: 1925 – 1941.

Garcia de Orta (1563) Referred from Sivarajan and Balachandran (1994)

- Gauthaman, K., S. K. Banerjee, et al. (2005). *Terminalia arjuna* (Roxb.) protects rabbit heart against ischemic-reperfusion injury: Role of antioxidant enzymes and heart shock protein. *Jour. Ethnopharm.* 96(3): 403-409.
- Gibbs, R. D. (1963). History of Chemical Taxonomy In: *Chemical Plant Taxonomy* (T. Swain, ed.) Academic Press, London, pp. 41-88.
- Gibbs, R. D. (1974). *Chemotaxonomy of Flowering Plants*. McGillqueens, Univ. Press, London.
- Gornall, J. and B. A. Bohm (1978). Angiosperm Flavonoid Evolution: A reappraisal. *Syst. Bot.* 3: 353-368.
- Govindarajan, R., et al (2004). 'Antioxidant Potential of *Anogeissus latifolia*', *Biol. and Pharm. Bulletin* 27(8): 1266 – 1269.
- Gupta S. et al (1992). 24 β-Ethylcholest-4-En-3 β-ol from the roots of *Lawsonia inermis*. *Phytochemistry* 31(7): 2558-2560.
- Gupta Sarita, Mohd. Ali and Mohd. S. Alam (1993). A naphthaquinone from *Lawsonia inermis* stem bark. *Phytochemistry* 33(3):723-724.
- Ha, L., et al. (2005). New aromatic compounds from the marine mangrove *Bruguiera gymnorhiza*. *Plant Medica*, 71(2):160-164.
- Harak, S., et al. (2005). Normotens : It's pharmacology and action. *Antiseptic* 102(2): 76-78.
- Harborne J.B. (1984). *Phytochemical methods*, (2<sup>nd</sup> Edn.). Chapman and Hall, London.
- Harborne J.B. (1988). *The Flavonoids*. Chapman & Hall, New York.
- Hayashi, T. et al. (2002). Ellagitannins from *Lagerstroemia speciosa* as activators of glucose transport in fat cells. *Plant Medica*, 68(2): 173-175.
- Hooker, J.D. (1879). *Flora of British India*, L.Reeve and Co.Kent.
- Hung, H. (2004). Inhibition of estrogen receptor alpha expression and function in MCF – 7 cells by kaempferol. *J. Cell Physiol.*, 198: 197-208.
- Hukkeri, V.I., R.V. Karadi and K. S. Akki (2002). Wound healing property of

- Eucalyptus globulus* L. leaf extract, *Ind. Drugs*, **39( 9)**: 481-483.
- Hutchinson, J. (1969). *Evolution & Phylogeny of Flowering Plants*, Academic Press, London & New York.
- Hutchinson, J. (1973). *Families of Flowering Plants*, Clarendon Press, Oxford.
- Ibrahim, R. K. and G. H. N. Towers (1940). The identification by paper chromatography of plant phenolic acids. *Arch. Biochem. Biophys.* **87**: 125-128.
- Inoue, M. (2000). Shosaikoto as a potential antiatherosclerotic agent. *Drug News Perspect.*, **13**: 407 – 412.
- Jain, S. K. and C. R. Tarafdar, (1970). Medicinal plant of the Santals. A revival of P. O. Bodding's work. *Econ. Bot.*, **24**: 241-278.
- Johansen, D. A. (1940). *Plant Microtechnique*, (1<sup>st</sup> Edn). McGraw Hill Book Company, New York.
- Joshi, K. C. et al. (1973). Quinones and other constituents from *Tabebuia rosea*. *Phytochemistry* **12** : 942 – 943.
- Joshi, S. G., (2006). *Medicinal Plants*, Oxford and IBH Publishing Co. Pvt. Ltd., New Delhi.
- Josline Y.S. and H. N. Michael (2004). Cytotoxic phenylethanol glycosides from *Psidium guajava* seeds. *Phytochemistry*, **65(14)**: 2091-2093.
- Karasu, C., et al (1997). Antioxidant and triglyceride lowering effect of vitamin E associate with the prevention of abnormalities in the reactivity and morphology of aorta from streptozotocin – diabetic rats, *Metabolism* **46**: 872 – 879.
- Kaul, T. N., E. Jr. Middleton and P. L. Ogra (1985). Antiviral effect of flavonoids on human viruses. *J. Med. Virol.*, **15**: 71-79.
- Kawamura, T., Y. Hirata (2000). Quality evaluation of plant dye henna with glycosides. *Natural medicines* **54(2)**: 86-89.
- Khan, A., M. Ashfaq and M. Nasreen Ali (1979). *Pharmacognostic studies of Selected Indigenous plants of Pakistan*. Pakistan Forest Institute, Peshawar.
- Khan, B., et al. (2005). Hypoglycemic activity of aqueous extract of some indigenous plants. *Pak. J. Pharm. Sci.* **18(2)**: 62-64.
- Khan, M. R., A. D. Omolosa, (2002). Antibacterial, Antifungal activities of *Barringtonia asiatica*. *Fitoterapia* **73(3)**: 255-260.

- Kim, H. P. *et al.*, (1998). Effects of naturally occurring flavonoids and bioflavonoids on epidermal cyclooxygenase and lipoxygenase from guinea pigs. *Prostaglandins Leukot. Essent. Fatty Acids* **58**: 17-24.
- Ko, T. F., Y. M. Weng, R.Y. Y. Chiou (2002). Squalene content and antioxidant activity of *Terminalia catappa* leaves and seeds. *Jour. Agri. Food Chem.* **50**(19): 5343-5348.
- Krishnamoorthy, P.K., A. Bhuvaneshwari, and A. Vimal Rani, Effect of aqueous extract of fruit of *T. chebula* on testis of male albino rats, *National Symposium on Emerging Trends in Indian Medicinal Plants*, Lucknow, p. 31 (4-0/6) 10 -12 Oct. 2003.
- Kubitzki, K. (1977). Flowering plants: Evolution and classification of higher categories, Symposium, Hamburg, September 8-12, 1976. *Pl. Syst. And Evol., Suppl. 1.* Springer-Verlag, Vienna.
- Kuo, P. L. *et al.*, (2005). Casuarinin from the bark of *Terminalia arjuna* induces apoptosis and cell cycle arrest in human breast adenocarcinoma MCF-7 cells. *Planta Medica* **71**(3): 237-243.
- Larocca, L. M. *et al.* (1995). Quercetin inhibits the growth of leukaemic progenitors and induces the expression of transforming growth factor – beta 1 in these cells. *Blood*. **85**: 3654-3661.
- Latha, S. and M. Daniel (2001). Phenolic antioxidants of some common pulses. *J. Food. Sci. Technol.*, **38**: 272 – 273.
- Lawrence, G. H. M. (1969). *Taxonomy of Vascular plants*. Macmillan, New York.
- Loo, G., (2003) Redox sensitive mechanisms of photochemical-mediated inhibition of cancer cell proliferation. *J. Nutr. Biochem.*, **14**: 64 – 73.
- Mabberley, D. J. (1997). *The plant-book: A portable dictionary of the higher plants*. Ed. 2. Cambridge Univ. Press, Cambridge, England.
- Mabry, T.J. *et al.* (1970). *The systematic identification of flavonoids*. Springer – Verlag, Berlin.
- Maheshwari, J. K., R. M. Paniuli and R. P. Dwivedi (1990), Notes on Ethnobotany of the Oraon & Korwa tribes of M. P. In S. K. Jain's (Ed) *Contribution to Indian Ethnobotany*. Scientific Publishers, Jodhpur.
- Mandawgade, S. D. and K. S. Patil (2003). Wound Healing Properties of Some Active

- Principles of *Lawsonia alba* Lam. leaves. *Ind. J. Pharm. Sci.*, **65(4)**: 390-394.
- Manske, R. H. F. (1944). The Alkaloids. *Ann. Rev. Biochem.*, **13**: 533-548.
- Markham, K. R., K. S. Gould and K. G. Ryan (2001). Cytoplasmic accumulation of flavonoids in flower petals and its relevance to yellow coloration. *Phytochemistry*, **58**: 403-413.
- Masuda, T., et al (2001). Isolation and antioxidant activity of galloyl flavonol glycosides from seashore plant, *Pemphis acidula*. *Biosci., Biotech. and Biochem.* **65(6)**: 1302-1309.
- Mauritzon, J. (1934). *Die endosperm embryo entwicklung einiger Acanthaceae*. Lund. Univ. Arsskr. **30**: 1-41.
- Mazumder, A., et al. (2004). Evaluation of antitussive activity of *Lagerstroemia parviflora* leaf extract. *Phytotherapy Research*, **18(9)**:780-782.
- Mazumder, A. et al. (2005). Evaluation of antipyretic potential of *Lagerstroemia parviflora* extract in rats. *Pharm. Biol.*, **43(1)**:64-65.
- Mc Nair, J. B., (1929). The taxonomic and climatic distribution of oils, fats and waxes in plants. *Amer. J. Bot.* **53**: 849-860.
- Metcalfe, C. F. and L. Chalk (1950). *Anatomy of the Dicotyledons*, Vol 1, Oxford at the Clarendon Press.
- Metcalfe, C. F. and L. Chalk (1950). Some current problems in systematic anatomy. *Phytomorphology* **17**: 128-132.
- Meyers, S. F. H., E. Jawetz and Goldfine (1972). *Review of Medical Pharmacology*, 3<sup>rd</sup> edn. Large medical publications, California.
- Miller, A. L. (1996). Antioxidant flavonoids: structure, function and clinical usage. *Altern. Med. Rev.* **1**: 103-111.
- Mills, C., A.R. Carroll and R.J. Quinn (2005). Acutangulosides A – F, monodesmosidic saponins from the bark of *Barringtonia acutangula*. *J. Natural products* **68(3)**: 311-318.
- Mirov, N. T., (1961). Composition of gum turpentine of pines. *U. S. D. A. Techn. Bull.* 1239.
- Mulas, M., A. Francesconi, B. Perinu, (2002). Myrtle (*Myrtus communis* L.) as a new aromatic crop cultivar selection, *J. of Herbs, Spices & Med. Plants*, **9(2/3)**:127-131.

- Murthy, N. C. V., D. V. Phani Kumar D. V. and E. Vijaya Kumar (2005) Studies on the effect of certain herbal formulations containing *Terminalia arjuna* in treatment of cardiac disorders. *International Conference on Modern Trends in Plant Sciences with Special Reference to the Role of Biodiversity in Conservation*, Amravati, Maharashtra, p. 92, 17-20 February 2005.
- Na, M. K. et al., (2004). Cytoprotective effect on oxidative stress and inhibitory effect on cellular aging of *Terminalia chebula* fruit. *Phytotherapy Research*, **18**(9): 734-741.
- Nagappa, A. N. et al., (2003). Antidiabetic activity of *Terminalia catappa* Linn. fruits. *J. Ethnopharmacology*, **88**(1): 45-50.
- Naik, G.H. et al. (2004). Studies on aqueous extract of *Terminalia chebula* as a potent antioxidant and a probable radioprotector, *Phytomedicine*, **11**(61):530-538.
- Nair, R. and S. Chanda (2005). Anticandidal activity of *Punica granatum* exhibited in different solvents. *Phar. Biol.*, **43**(1): 21-25.
- Niki, E. et al., (1995) Interaction among Vitamins C and D and  $\beta$ - carotene. *Am. J. Clin. Nutr.* **62**, 13225- 13265
- Nguyen, T. T. et al., (2003). Kaempferol – induced growth inhibition and apoptosis in A549 lung cancer cells is mediated by activation of MEK – MAPK. *J. Cell Physiol.* **197**: 110-121.
- Oh, W.K. et al., (2005). Antidiabetic effects of extracts from *Psidium guajava*. *J. Ethanopharm.* **96**(3): 411- 415.
- Padmavathy, M. and R. A. Reddy (1999). Flavonoid biosynthetic pathway and cereal defence response: An emerging trend in crop biotechnology. *J. Plant Biochem. Biotechnol.*, **8**: 15-20.
- Paech, K. and M. V. Tracey (1965). *Modern methods of plant analysis II*. Springer – Verlag, Berlin.
- Pandey, C. N. and B. R. Raval (2005). *Medicinal Plants of Gujarat*. Gujarat Ecological Education and Research (GEER) Foundation, Gandhinagar, Gujarat.
- Pandey, M. and A. Khan, (2002). Hypoglycaemic effect of defatted seeds and water soluble fibre from the seeds of *Syzygium cumini* ((Linn.) Skeels in alloxan diabetic rats. *Ind. J. of Exp. Biol.*, **40**(10): 1178-1182.
- Panigrahi, S. G. (1980). Contribution of anatomy to the systematics of *Ammania*. *Phytomorphology* **30**(40): 320-330.

- Patnaik, K. C. *et al.*, (2005) An Ethnobotanical study of Malkanagari district, Orissa , India. *International Conference on Modern Trends in Plant Sciences with Special Reference to the Role of Biodiversity in Conservation*, Amravati, Maharashtra, p. 160, 17-20 February 2005.
- Pereira, M. A. *et al.*, (1996). Effects of the phytochemicals, curcumin and quercetin, upon azoxymathane – induced colon cancer and 7, 12 - dimethylbenz[a]anthracene – induced mammary cancer in rats. *Carcinogenesis* 17: 1305-1311.
- Pietta, P.G. (2000). Flavonoids as antioxidants, *J. Nat. Prod.* 63: 1035 – 1042.
- Pino, J.A., R. Marbot and A. Rosado (2004). Volatile constituents of Malay rose apple (*Syzygium malaccense*) (L.) Merr & Perry, *Flavour & Fragrance Journal*, 19(1): 32-35.
- Poul, B. N. *et al.*, (2000) Anti-inflammatory activity of *Lawsonia alba*. *Proceedings of International Congress on "Ayurveda-2000"*, Chennai, TN, India, p. 202-203, January 28-30,2000.
- Price, J. R. (1963). The distribution of alkaloids in the Rutaceae, In: *Chemical Plant Taxonomy* (T. Swain ed.) Academic Press, London. pp. 429-452.
- Prouillet, C. *et al.*, (2004). Stimulatory effect of naturally occurring flavonols quercetin and kaempferol on alkaline phosphatase activity in MG-63 human osteoblasts through ERK and estrogen receptor pathway. *Biochem. Pharm.* 67: 1307-1313.
- Rachana, S., A. K Shaw and D. Kulshreshtha (1995), Triterpenoids & chalcones from *Syzygium samarangense* (*Eugenia javanica*). *Phytochemistry*, 38(3): 687 – 689.
- Reghunathan, K. and R. Mitra (1982). Eds., In: *Pharmacognosy of indigenous drugs*, Central Council of Research in Ayurveda and Siddha, New Delhi, 1: 614-629.
- Ralf, M. (2004). Five biflavonoids from *Calycpoteris floribunda* (Combretaceae). *Phytochemistry* 65(5):593-601.
- Ramezani, H., H. P.Singh, D. R. Batish and R. K. Kohli (2002) Antifungal activity of the volatile oil of *Eucalyptus citriodora*. *Fitoterapia*, 72(3): 261 – 262.
- Ranade, G.G. (2002). Toxic effects of essential oils. *Fafai Journal* , 4(3): 61-62.
- Randerath Kurt (1968). *Thin Layer Chromatography*, Verlag Chemie. GmbH. Weinheim/ Bergstr. Academic Press. New York & London.

- Rao, R. V. *et al.*, (2005). Clonal variation in Basic Density and Anatomical Properties of *Eucalyptus tereticornis* – Four to Five years. *The Indian Forester*. **131**(9): 1187-1200.
- Ravi,K., B. Ramachandran and S. Subramanian (2004). Protective effect of *Eugenia jambolana* seed kernel on tissue antioxidants in streptozotocin-induced diabetic rats, *Biol. Pharm. Bull.*, **27**(8):1212-1217.
- Rivera-Arc, E., M.Gattuso (2003). Anatomical identity parameters of the crude drug *Psidii guajavae folium*, *Pharm. Biol.*, **41**(7):516-521.
- Sabira B., B. S. Siddiqui and S. I. Hassan (2002). Triterpenoids from *Psidium guajava* leaves. *Natural Product Letters* **16**(3): 173-177.
- Salisbury, E. J. (1927). On the causes of ecological significance of stomatal frequency with special reference to wood land flora. *Phil. Trans. Roy. Soc. London* **216**: 1-15
- Salisbury, E. J. (1932). The interpretation of soil climate and the use of stomatal frequency as an interesting index of water relation to the plant. *Beih. Bot. Zentralb.* **49**: 408 – 420.
- Samira B., S. R. Benayache and F. Benayache (2005). Cladocalol, a pentacyclic 28 – nor – triterpene from *Eucalyptus cladocalyx* with cytotoxic activity. *Phytochemistry* **66**(6): 627-632.
- Sarma, R. K. *et al.*, (2004). Studies on the aqueous extract of *Terminalia chebula* as a potent antioxidant and a probable radioprotector. *Phytomedicine* **11**(6): 530-538.
- Scartezzini, P. and E. Speroni, (2000). Review of some plants of Indian traditional medicine with antioxidant activity. *J. Ethnopharm.* **71**: 23 – 43.
- Seguin, E., A. Elomri and P. Magiatis (2002). Synthesis, dimerization, and biological activity of hexaoxygenated chalcones related to calythropsin and combretastatins. *Natural Product Letters* **16**(3): 187-193.
- Sen, S. K. *et al.*, (2000). Ethnomedicinal plants used against jaundice at Bargarh district in Orissa (India), *Adv. Plant Sci.* **13**(1): 329-330.
- Shafi, P.M. *et al.*, (2002). Antibacterial activity of *Syzygium cumini* and *Syzygium travancorium* leaf essential oils. *Fitoterapia*, **75**(5): 414-416.
- Shah, S. A., I. S. Rathod and P. Mehta(2003). Spectrofluorimetric determination of

- Anthraquinone glycoside from *T. chebula* & its churnas. *Ind. J. Pharm. Sci.*, **65(4)**: 395 – 398.
- Sharma, A.K. , K. Baruah, and A.C. Bhardwaj (2005). Mosquito larvicidal characteristics of certain phytoextracts. *J. Exp. Zool. India* **8(1)**: 109-112.
- Siddiqui, B. S., M. N. Kardar (2001). Triterpenoids from *Lawsonia alba*. *Phytochemistry* **58(8)**: 1195-1198.
- Sikarwar, R. L. S. *et al.*, (2003) Folk use of plants in veterinary medicine in Central India. 2<sup>nd</sup> World Congress on 'Biotechnological Developments of Herbal Medicine', NBRI, Lucknow, U. P, India, p. 105, February 20-22, 2003.
- Sikarwar, R. L. S. *et al.*, (2003) Some important medicinal plants prevalent among the tribals of Surjuga district, Chattisgarh. 2<sup>nd</sup> World Congress on 'Biotechnological Developments of Herbal Medicine', NBRI, Lucknow, U. P, India, p. 1007, February 20-22, 2003.
- Simon, P. B. *et al.* (2004). Globoidnan A: a lignan from *Eucalyptus globoidea* inhibits HIV integrase. *Phytochemistry* **65(24)**:3255-3259.
- Singh, A. P., R. Govindrajan, and M. Shukla (2003) Quantitative estimation of gallic acid in triphala and its ingredients, *National Seminar on New Millennium Strategies for Quality , Safety and GMP's of Herbal Drugs Products*, NBRI, Lucknow, p.116, Nov 11-13, 2003.
- Sivarajan, V. V. and I. Balachandran (1994). *Ayurvedic Drugs and Their Plant Sources*. Oxford and IBH Publishing Co. Pvt. Ltd., New Delhi.
- Skaper, S. D. *et al.*, (1997). Quercetin protects cutaneous tissue – associated cell types including sensory neurons from oxidative stress induced by glutathione depletion: cooperative effects of ascorbic acid. *Free Radic. Biol. Med.* **22**: 669-678.
- Solereder, H. (1996). *The Anatomy of Plants*, Dicotyledons – Vol I (Reprinted), Ajay Book Service, New Delhi.
- Solon, S. and L. Lopes (2000). Free radical scavenging activity of *Lafoensia pacari*, *J. Ethnopharm.* **72(1, 2)**: 173-178.
- Somasundram, S., P. Brindha and A. Saraswathy, Pharmacognostic studies of the foliar gall on *Terminalia chebula* Retz. (Combretaceae) incited by *Dixothrips onerosus* , *National Seminar on New Millennium Strategies for Quality , Safety and GMP's of Herbal Drugs / Products*, NBRI, Lucknow p.120, Nov 11-13, 2003.

- Sporne, K. R., (1956). The Phylogenetic Classification of Angiosperms. *Biol. Rev.* 31: 1 – 29.
- Sreekumar, R. et al. (2002). Impact of high fat diet and antioxidant supplement on mitochondrial functions and gene transcripts in rat muscles. *Am.J.Physiol. Endocrinol. Metab.* 282: E 1055 to E 1061.
- Srinivasan, S. et al. (1971). Effects of some flavonoids on the surface change characteristics of the vascular system and their antithrombogenic characteristics. *European Conf. Microcirculation* 6: 394.
- Stock, R. and C. B. F. Rice (1963). *Chromatographic Methods*, Chapman and Hall Ltd., London.
- Sudheesh, S. and N. R. Vijayalakshmi (2005). Flavonoids of *Punica granatum* – potential antiperoxidation agents. *Fitoterapia*, 76(2): 181 – 186.
- Sukh Dev (2006). *A Selection of Prime Ayurvedic Drugs, Ancient – Modern Concordance*, Amaya Publishers, New Delhi.
- Swain, T. (1963). *Chemical Plant Systematics*. Academic Press, London and New York.
- Takhtajan, A. (1980). Outline of the classification of flowering plants (Magnoliophyta). *Bot. Rev.* 46: 225-359.
- Thanki, Y. J. and K. Shah (2002). Stomatal ontogeny in some Lythraceae, *J. Phytological Research* 13(20): 187-189.
- Thawani, V., Kochhar, N. and Sharma, S. (2003). Efficacy & tolerability of herbal combination "Femina" in premenopausal women, *Antiseptic*, 100(12): 490-492.
- Thomas, T.J. et al., and B. Panikkar (2002). Antitumour property and toxicity of *Barringtonia racemosa* Roxb. seed extract in mice. *J. of Ethnopharm.*, 82(2-3): 223-227.
- Thorne, R. F. (2000). The Classification and Geography of the Flowering Plants: Dicotyledons of the Class Angiospermae. *The Botanical Review*, 66(4): 507.
- Tiwari, A.K., Natural Product antioxidants and their therapeutic potential in mitigating peroxidative modification of lipoproteins and atherosclerosis: recent developments. *J.Med. Aromat. Plant Sci.* 21: 730 – 741.

- Tiwari, A.K. ( 2004 ). Antioxidants : New generation therapeutic base for treatment of polygenic disorders, *Curr. Sci.* **86**(8): 1092 -1102.
- Trease, G. E. and W. C. Evans, (2007). *Pharmacognosy*. 15<sup>th</sup> Edn., W. B. Saunders Company, London.
- Trump, B. S. (1961). A method for staining epoxy section for light microscopy. *J. Ultra Structure. Research* **5**: 343-348
- Tomlinson, P. B. (1986). *The Botany of Mangroves*. Cambridge Univ. Press, New York.
- Touchstone, J.C. and Murrell F.D. (1978). *Practice of Thin Layer Chromatography*, John Wiley & Sons. Inc., New York.
- Uddin, S.J. et al., (2005). Antinociceptive activity of *Ceriops decandra* leaf and pneumatophore. *Fitoterapia* **76**(2): 261-263.
- Van, W. B. and Michael Wink (2004). *Medicinal Plants of the World*. Times Editions, Singapore.
- Vongvanich, N. et al., (2005). Combretastins D-3 and D-4, new macrocyclic lactones from *Getonia floribunda*. *Planta Medica*, **71**(2): 191-193.
- Wagner, H. and P. Wolfe (1977). *New Natural Products and Plant Drugs with Pharmacological, biological or therapeutical activity* (Ed.). Springer – Verlag Berlin.
- Wallis, T. E. (1953). *Practical Pharmacognosy*, J. and A. Churchill Ltd., Gloucester Place, W. I.
- Warrier, P. K., V. P. K. Nambiar and C. Ramankutty (2002). *Indian Medicinal Plants: a compendium of 500 species*. Orient Longman Pvt. Ltd., Hyderabad.
- Wasserman, M.A. et al. (2003), Chemistry and biology of vascular protectants: a novel approach to the treatment of atherosclerosis and coronary artery disease. *Am. J. Cardiol. (Suppl.)* **91**: 34 A – 40 A.
- Youngken, H. W. (2004). *Natural Drugs: Morphological & Taxonomic Consideration* (2<sup>nd</sup> edn), Biotech Books, New Delhi.