




BIBLIOGRAPHY



Abayrak A, Uyanik MH, Odabasoglu F, Halici Z, Uyanik A, Bayir Y, Albayrak F, Albayrak Y, Polat B, Suleyman H. The effect of Diabetes and/or Polymicrobial Sepsis on the Status of Antioxidant Enzymes and Pro-Inflammatory Cytokines on Heart, Liver and Lung of Ovariectomized Rats. *Journal of Surgical Research*, 2010; 1-9.

Adi NC. Effect of melatonin receptor (MT2) antagonist in rat neonates on adult carbohydrate and lipid metabolism, pancreatic function and alloxan induced diabetes. Ph. D. thesis submitted to The M.S.University of Baroda. 2004.

Ahima RS, Lawson AN, Osei SY, Harlan RE. Sexual dimorphism in regulation of type II corticosteroid receptor immunoreactivity in the rat hippocampus. *Endocrinology*, 1992; 131: 1409–1416.

Ahuja MMS. Epidemiology studies on diabetes mellitus in India, Ahuja MS, (ed). *Epidemiology of diabetes in developing countries*. Interprint, New Delhi, 1979, p 29-38.

Ajabar LN, Tsai CC, Vela P and Yen SSC. Effects of exogenous estrogen on carbohydrate metabolism in postmenopausal women. *Am J Obstet Gynecol*, 1972; 113:383–7.

Aksoy, N., Vural, H., Sabuncu, T. Effects of melatonin on oxidative-antioxidative status of tissues in streptozotocin induced diabetic rats. *Cell Biochem Funct*, 2003; 21: 121–125.

Al-Azzawi F, Palacios S. Hormonal changes during menopause. *Marturitas*, 2009; 63: 135-137.

- Allegra M, Reiter RJ, Tan DX, Gentile C, Tesoriere L, Livrea MA. The chemistry of melatonin interaction with reactive species. *J Pineal Res*, 2003; 34: 1–10.
- Allgot B, Gan D. Atlas plus diabetes on the world map. *Diabetes Voice*, 2002; 47(1): 44–46.
- An Y, Xiao YB. The preventative role of growth hormone on acute liver injury induced by cardiopulmonary bypass in a rat model. *Eur J Cardiothorac Surg*, 2007; 31:1037–1043.
- Angerer P, Stork S, Kothny W, Schmitt P, von Schacky C: Effect of oral postmenopausal hormone replacement on progression of atherosclerosis: a randomized, controlled trial. *Arterioscler Thromb Vasc Biol*, 2001; 21:262–268.
- Anonymous. Postnatal corticosteroids and sensorineural outcome at five years of age. *J Paediatr Child Health*, 2000; 36:256-261.
- Anwar MM, Meki AR. Oxidative stress in streptozotocininduced diabetic rats: effects of garlic oil and melatonin. *Comp Biochem Physiol A Mol Integr Physiol*, 2003; 135: 539–547.
- Armitage JA, Jensen R, Taylor PD & Poston L. Exposure to a high fat diet during gestation and weaning results in reduced elasticity and endothelial function as well as altered gene expression and fatty acid content of rat aorta. *J Soc Gynecol Invest*. 2004a; 11: 183.
- Armitage JA, Khan IY, Taylor PD, Nathanielsz PW & Poston L. Developmental programming of metabolic syndrome by maternal nutritional imbalance; how strong is the evidence from experimental models in animals. *J Physiol*, 2004b; 561: 355–377.

- Arnal JF, Douin-Echinard V, Tremolieres F, Terrisse AD, Sie P, Payrastre B, Guery JC, Bayard F, Gourdy P. Understanding the controversy about hormonal replacement therapy: insights from estrogen effects on experimental and clinical atherosclerosis. *Arch Mal Coeur Vaiss*, 2007; 100: 554–62.
- Attia HA, AL-Rasheed NMI, Faddah LM, AL-Rasheed NMI, Ahmed AAE. Ameliorating Effect of Idebenone And/or Melatonin Against Oxidative Stress and Energy Depletion in Brain of Hypoxic Rats. *Research Journal of Medicine and Medical Sciences*, 2009; 4(2): 263-277.
- Bailey CJ, Atkins TW, Matty AJ. Melatonin inhibition of insulin secretion in the rat and mouse. *Horm Res*, 1974; 5: 21-28.
- Bakker JM, Van Bel F, Heijen CJ. Neonatal glucocorticoids and the developing brain: short term treatment with life-long consequences? *Trends in Neurosciences*, 2001; 24(11): 249-253.
- Baltaci AK, Sunar F, Mogulkoc R, Oztekin E. Effect of zinc deficiency and supplementation on lipid peroxidation of renal tissue in ovariectomized rats. *Biol Trace Elem Res*, 2004; 101: 231–23.
- Baltaci AK, Sunar F, Mogulkoc R, Oztekin E. Effect of zinc deficiency and supplementation on lipid peroxidation of renal tissue in ovariectomized rats. *Biol Trace Elem Res*, 2004; 101: 231–239.
- Banerjee, S. An In vivo and In vitro Study on Multiple Metal Toxicity and the Protective Effect of Melatonin on Organ Specific Effect. Ph.D Thesis, The M.S.University of Baroda 2009.

- Barbazanges A, Piazza PV, Moal ML, Maccari S. Maternal Glucocorticoid Secretion Mediates Long-Term Effects of Prenatal Stress The Journal of Neuroscience, 1996; 16(12):3943–3949.
- Barker DJP, Osmond C. Infant mortality, childhood nutrition, and ischaemic heart disease in England and Wales. Lancet, 1986; I:1077–81.
- Barker DJP. Fetal origins of coronary heart disease. BMJ, 1995; 311:171–4.
- Barker DJP. Mothers, babies and health in later life. Edinburgh: Harcourt Brace & Co Ltd, 1998.
- Barlow-Walden R, Reiter RJ, Pablosa ABEM, Menendez-Pelabe ZP, Eggle O. Melatonin stimulates brain glutathione peroxidase activity. Neurochem, Int 1995; 26: 497-502.
- Barros RP, Machado UF, Warner M, Gustafsson JA. Muscle GLUT4 regulation by estrogen receptors ER β and ER α . Proc Natl Acad Sci U S A, 2006; 103:1605-8.
- Basu S, Michaelsson K, Olofsson H, Johansson S, Melhus H. Association between oxidative stress and bone mineral density. Biochem. Biophys. Res. Commun, 2001; 288: 275–279.
- Baydas G, Ercel E, Canatan H, Donder E, Akyol A. Effect of melatonin on oxidative status of rat brain, liver and kidney tissues under constant light exposure. Cell Biochem Funct, 2001; 19:37–41.
- Baydas G, Ercel E, Canatan H, Donder E, Akyol A. Effect of melatonin on oxidative status of rat brain, liver and kidney tissues under constant light exposure. Cell Biochem Funct 2001; 19: 37–41.

Beckles GLA, Thompson-Reid PE, editors. Diabetes and Women's Health Across the Life Stages: A Public Health Perspective. Atlanta: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division of Diabetes Translation; 2001.

Behl C. Oestrogen as a neuroprotective hormone. *Nat. Rev. Neurosci*, 2002; 3:433– 442.

Bell HK, Bloomer RJ. Impact of serum estradiol on postprandial lipemia, oxidative stress, and inflammation across a single menstrual cycle. *Gend Med*, 2010; 7(2):166-78.

Bertin E, Gangnerau MN, Bailb'e D, Portha B. Glucose metabolism and beta-cell mass in adult offspring of rats protein and/or energy restricted during the last week of pregnancy. *Am. J. Physiol*, 1999; 277: E11–E17.

Beuge JA, Aust SV. Microsomal lipid peroxidation. *Methods Enzymol*, 1978; 52: 302-310.

Beutler E, Duron O, Kelly BM. Improved method for the determination of blood glutathione. *J. Lab and Clinical Med*, 1963; 61: 883- 887.

Bhattacharya SM, Jha A. Effects of transdermal estradiol gel and oral tibolone on health related quality of life after surgical menopause. *International Journal of Gynecology and Obstetrics*, 2010; article in press.

Bhavnani BR. Estrogens and menopause: pharmacology of conjugated equine estrogens and their potential role in the prevention of neurodegenerative diseases such as Alzheimer's. *J. Steroid Biochem. Mol. Biol*, 2003; 85:473–482.

Bhavsar NG. Altered neonatal adrenocortical functional status with or without melatonin on postnatal growth of male reproductive system in rats exposed to short photoperiod. Ph.D thesis submitted to The M.S.University of Baroda. 2001.

Bhavsar N.G, Lagu S.K , Ramachandran A.V. Neonatal glucocorticoid exposure induces phenotypic alterations in terms of adult hormonal axes and testicular cell kinetics as part of developmental plasticity Archives of Applied Science Research, 2010; 2 (5): 269-284.

Bolego C, Cingnarella A, Zancan V, Pinna C, Zanardo R, Puglisi L. Diabetes abolishes the vascular protective effects of estrogen in female rats. Life Sciences, 1999; 64(9): 741-749.

Bonds DE, Lasser N, Qi L, Brzyski R, Caan B, Heiss G, Limacher MC, Liu JH, Mason E., Oberman A, O'Sullivan MJ, Phillips LS, Prineas RJ & Tinker L. The effect of conjugated equine estrogen on diabetes incidence: the Women's Health Initiative Hormone Trial. Diabetologia, 2006; 49: 459-468.

Bonnefont-Rousselot D, Bastard JP, Delattre J. Consequences of the diabetic status on the oxidant/antioxidant balance. Diabetes Metab, 2000; 26: 163-76.

Boylan JM, Brautigan DL, Madden J, Raven T, Ellis L, Gruppuso PA. Differential regulation of multiple hepatic protein tyrosine phosphatases in alloxan diabetic rats. J.Clin.Invest, 1992; 90:174-179.

Bradbury MJ, Cascio CS, Scribner KA, Dallman MF. Stressinduced adrenocorticotropin secretion: diurnal responses and decrease during stress in the evening are not dependent on corticosterone. *Endocrinology*, 1991; 128:680–688.

Bruder ED, Lee PC, Raff H. Dexamethazone treatment in the newborn fat: fatty acid profiling of lung, brain, and serum lipids. *J Appl Physiol*, 2005; 98:981-990.

Brzezinski A. "Melatonin replacement therapy" for postmenopausal women: is it justified? *Menopause*, 1998; 5: 60– 64.

Bureau I, Laporte F, Favier M, Faure H, Fields M, Favier AE, Roussel A. No Antioxidant Effect of Combined HRT on LDL Oxidizability and Oxidative Stress Biomarkers in Treated Post-Menopausal Women. *Journal of the American College of Nutrition*, 2002; 21(4): 333–338

Burns SP, Desai M, Cohen RD, Hales CN, Iles RA, Germain JP, Going TC, Bailey RA. Gluconeogenesis, glucose handling, and structural changes in livers of the adult offspring of rats partially deprived of protein during pregnancy and lactation. *J. Clin. Invest*, 1997; 100: 1768–1774.

Cabrer J, Burkhardt S, Tan DX, Manchester LC, Karbownik M, Reiter RJ. Autoxidation and toxicant-induced oxidation of lipid and DNA in monkey liver: reduction of molecular damage by melatonin. *Pharmacol Toxicol*, 2001; 89:225–230.

Cagnacci A, Soldani R, Cariero P, Paoletti A, Fioretti P and Melis G. Effects of low doses of transdermal 17 β estradiol on carbohydrate metabolism in postmenopausal women. *J Clin Endocrinol Metab*, 1992; 74:1396–400.

Cagnacci A, Soldani R, Yen SS. Melatonin enhances cortisol levels in aged but not young women. *Eur.J.Endocrinol*, 1995; 133: 691-695.

Cahill GF, Ashmore J, Zottu S, and Hastings AB. Studies on carbohydrate metabolism in rat liver slices. IX. Ionic and hormonal effects on phosphorylase and glycogen. *J Biol Chem*, 1957;224: 237-250.

Cao SX, Dhahbi JM, Mote PL, Spindler SR. Genomic profiling of short and long term caloric restriction effects in the liver of aging mice. *Proc Natl Acad Sci*, 2001; 98:10630–10635.

Carrillo-Vico A, Calvo JR, Abreu P, Lardone PJ, Garcia-Maurino S, Reiter RJ., Guerrero JM. Evidence of melatonin synthesis by human lymphocytes and its physiological significance: possible role as intracrine, autocrine, and/ or paracrine substance. *FASEB J*, 2004; 18: 537–539.

Cécile Lambillotte, Patrick Gilon, Jean-Claude Henquin Direct Glucocorticoid Inhibition of Insulin Secretion An In Vitro Study of Dexamethasone Effects in Mouse Islets *J. Clin. Invest*, 1997; 9(3): 414–423.

Cefalu W: The use of hormone replacement therapy in postmenopausal women with type 2 diabetes. *J Womens Health Gend Based Med*, 2001; 10:241–255.

Centers for Disease Control and Prevention. Diabetes: Selected US National Research Findings Available at:
<http://www.cdc.gov/women/natstat/Diabetes.htm>.

- Chen WY, Manson JE, Hankinson SE, Rosner B, Holmes MD, Willett WC, Colditz GA. Unopposed estrogen therapy and the risk of invasive breast cancer. *Arch Intern Med*, 2006; 166:1027–32.
- Chisu V, Manca P, Lepore G, Gadau S, Zedda M, Farina V. Testosterone induces neuroprotection from oxidative stress. Effects on catalase activity and 3-Nitro-L-Tyrosine incorporation into alpha tubulin in a mouse neuroblastoma cell line. *Archives Italiennes de Biologie*, 2006; 144: 63-73.
- Choi, Young MD; Pinto, Marguerite MD. Estrogen Receptor [beta] in Breast Cancer: Associations Between ER[beta], Hormonal Receptors, and Other Prognostic Biomarkers Applied Immunohistochemistry & Molecular Morphology, 2005; 13(1): 19-24.
- Chrousos GP. The stress response and immune function: clinical implications: the 1999 Novena H. Spector lecture. *Annals of the New York Academy of Sciences*, 2000; 917: 38–67.
- Cintra A, Fuxe K, Solfrini V, Agnati LF, Tinner B, Wikstrom AC, Staines W, Okret S, Gustafsson JA. Central peptidergic neurons as targets for glucocorticoid action. Evidence for the presence of glucocorticoid receptor immunoreactivity in various types of classes of peptidergic neurons. *J.Steroid Biochem. Molec.Biol*,1991; 40:93-103.
- Cooper C, Fall C, Egger P, Hobbs R, Eastell R, Barker D. Growth in infancy and bone mass in later life. *Ann Rheum*, 1997; 56:17–21.
- Corda S, Laplace C, Vicaut E, Duranteau J. Rapid reactive oxygen species production by mitochondria in endothelial cells exposed to tumor

- necrosis factor-alpha is mediated by ceramide. Am J Respir Cell Mol Biol, 2001; 24:762–768.
- Coto-Montes A, Hardeland R. La importancia del ritmo circadiano y de la melatonina para evitar el estres oxidativo: implicaciones en la investigacion del trabajo a turnos rotatorio. Vigilia y Sueño, 2000; 12:133-46 .
- Crawford N. An improved method for the determination of free and total cholesterol using the ferric chloride reaction. Clinica Chim Acta, 1959;3(4): 357–367.
- Crespo CJ, Smit E, Snelling A. Hormone replacement therapy and its relationship to lipid and glucose metabolism in diabetic and non diabetic postmenopausal women. Diabetic Care, 2002; 25: 1675-1680.
- Cusin I, Rouru J, Rohner-Jeanrenaud F. Intracerebroventricular Glucocorticoid Infusion in Normal Rats: Induction of Parasympathetic- Mediated Obesity and Insulin Resistance Obesity Research, 2001; 9(7).
- Dallman MF, Strack AM, Akana SF, Bradbury MJ, Hanson ES, Scribner KA, Smith M. Feast and famine: critical role of glucocorticoids with insulin in daily energy flow. Frontiers in Neuroendocrinology, 1993; 14: 303–347.
- Daniel F K, Lawrence E K, Farhad F S, Arthur D J ,Steven P ,Jeffrey A E. Melatonin effects on luteinizing hormone in postmenopausal women: a pilot clinical trial NCT00288262 BMC Women's Health 2006, 6:8 doi:10.1186/1472-6874-6-8
- Dansuk R, Unal O, Karsidag KY and Turan C. Valuation of the effects of variousgestagens on insulin sensitivity, using homeostatic model

- assessment, in postmenopausal women on hormone replacement therapy. *Gynecol Endocrinol*, 2005; 20:1–5.
- Dantas APV, Rita CAT, Zuleica BF, Sonia GC, Dorothy N, Carvalho MHC. In Vivo Evidence for Antioxidant Potential of Estrogen in Microvessels of Female Spontaneously Hypertensive Rats. *Hypertension*, 2002; 39: 405.
- Davani B, Khan A, Hult M, Martensson E, Okret S, Efendic S, Jornvall H, Oppermann UC. Type 1 11 β -hydroxysteroid dehydrogenase mediates glucocorticoid activation and insulin release in pancreatic islets. *Journal of Biological Chemistry*, 2000; 275: 34841–34844.
- Department of Health. Series DH2. No. 30. Mortality statistics cause review of the registrar general on deaths by cause, sex and age, in England and Wales, London; 2003.
- Devaskar SU. Neurohormonal regulation of body weight gain. *Pediatr Diabet*, 2001; 2: 131-144.
- Differential effects of prenatal stress and glucocorticoid administration on postnatal growth and glucose metabolism in rats K L Franko, A J Forhead and A L Fowden. *J. Endocrinol*, 2010; 204 (3): 319-329.
- Dilman V, Lapin I, Oxenkrug G. Serotonin and aging. In: *Serotonin in Health and Diseases*. (W. Essman, ed), Spectrum Press, New York, 1979; 5:111-123.
- Ding EL, Song Y, Manson JE, Rifai N, Buring JE, Liu S. Plasma sex steroid hormones and risk of developing type 2 diabetes in women: a prospective study. *Diabetologia*, 2007; 50:2076–84.

Dobbing J, Sands J. Comparative aspects of the brain growth spurt. Early Hum. Dev, 1979; 3: 79–83

Dodt C, Dittmann J, Hrubi J, Spath-Schwalbe E, Born J, Schuttler R, Fehm HL. Different regulation of adrenocorticotropin and cortisol secretion in young, mentally healthy elderly and patients with senile dementia of Alzheimer's type. J Clin Endocrinol Metab, 1991; 72:272-276.

Dorman JS, Steenkiste AR, Foley TP, Stromeyer ES, Burke JP, Kuller LH, Kwok CK. Menopause in Type I diabetic women. Is it premature? Diabetes, 2001; 50: 1857-1862.

Drake AJ, Walker BR, Seckl JR. Intergenerational consequences of fetal programming by in utero exposure to glucocorticoids in rats. Am J Physiol Regul Integr Comp Physiol, 2004.

Dufy Jr A.M, Cloët M, Möller AP. Hormones, developmental plasticity, and adaptation. Trends Ecol. Evol, 2002; 17: 190–196.

Duncan MH, Singh BM, Wise PH, Carter G, Alaghband-zadeh J. A simple measure of insulin resistance. The Lancet. 1995;346.

Dunn JS, Sheehan HL, McLethie NGB. Necrosis of islets of langerhans produced experimentally. Lancet, 1943; 1:484-487.

Eckhoff DE, Bilbao G, Frenette L, Thompson JA, Contreras JL. 17-Beta-estradiol protects the liver against warm ischemia/ reperfusion injury and is associated with increased serum nitric oxide and decreased tumor necrosis factor-alpha. Surgery, 2002; 132:302–309.

- Enli Y, Oztekin O, Pinarbasili RD. The nitroxide tempol has similar antioxidant effects as physiological levels of 17 β -oestradiol in reversing ovariectomy-induced oxidative stress in mice liver and kidney. Scandinavian Journal of Clinical & Laboratory Investigation, 2009; 69(4): 526–534.
- Feher M, Isaacs A. Is hormone replacement therapy prescribed for postmenopausal diabetic women? Br J Clin Pract, 1996; 50: 431–432.
- Feng Z, Zhang J. Long-term melatonin or 17-estradiol supplementation alleviates oxidative stress in ovariectomized adult rats. Free Radical Biology & Medicine, 2005; 39:195 – 204.
- Fernandez-Twinn DS, Ozanne SE. Mechanisms by which poor early growth programs type-2 diabetes, obesity and the metabolic syndrome Physiology & Behavior, 2006; 88: 234–243.
- Ferrini M, De Nicola AF. Estrogen up-regulate type I and type II glucocorticoid receptors in brain regions of ovariectomized rats. Life Sci, 1991; 48:2593-2601.
- Folch J, Lees M, Sloane Stanley GH. A simple method for the isolation and purification of total lipids from animal tissues. J Biol Chem, 1957; 226: 497.
- Forman HJ, Torres M. Reactive oxygen species and cell signaling: respiratory burst in macrophage signaling. Am J Respir Crit Care Med, 2002; 166:4–8.
- Forsen T, Eriksson JG, Tuomilehto J, Osmond C, Barker DJ. Growth in utero and during childhood among women who develop coronary heart disease: longitudinal study. BMJ, 1999; 319: 1403–7.

Fowden AL, Giussani DA, Forhead AJ. Endocrine and metabolic programming during intrauterine development. *Early Hum Dev*, 2005; 81: 723–734.

Fowden AL, Li J, Forhead AJ. Glucocorticoids and the preparation for life after birth: are there long-term consequences of the life insurance. *Proc Nutr Soc*, 1998; 57: 113–122.

Friedman JM.. The alphabet of weight control. *Nature*, 1997; 385: 119–120.

Friedman M, Green M, Sharland D. Assessment of hypothalamic-pituitary-adrenal function in the geriatric age group. *J. Gerontol*, 1969; 24:292–297.

Geerlings MI, Launer LJ, de Jong FH, Ruitenberg A, Stijnen T, van Swieten JC, Hofman A, Witteman JC, Pols HA. Rotterdam, Study Endogenous estradiol and risk of dementia in women and men: the Rotterdam Study. *Ann. Neurol*, 2003; 53:607–615.

Genazzani AR, Pluchino N, Luisi S, Luisi M. Estrogen, cognition and female ageing. *Human Reproduction Update*, 2006; 13:175-187.

Gesina E, Tronche F, Herrera P, Duchene B, Tales W, Czernichow P & Breant B Dissecting the role of glucocorticoids on pancreas development. *Diabetes*, 2004; 53: 2322–2329.

Gilgun-Sherki Y, Melamed E, Offen D. Oxidative stress inducedneurodegenerative diseases: the need for antioxidants that penetrate the blood brain barrier. *Neuropharmacology*, 2001; 40:959–975.

Global Alliance for Women's Health. Diabetes Fact Sheet. Available at: <http://www.gawh.org/issues/diabetes/factsheet.php5>.

Gluckman PD, Hanson MA, Cooper C, Thornburg KL. Effect of in utero and early-life conditions on adult health and disease. *N Engl J Med*, 2008; 359: 61-73.

Gluckman PD, Hanson MA. Adult disease: echoes of the past *European Journal of Endocrinology*, 2006; 155: S47-S50.

Godfrey KM, Barker DJP. Fetal nutrition and adult disease *Am J Clin Nutr*, 2000; 71(suppl): 1344S-52S.

Godsland I, Crook D, Simpson R, Proudler T, Felton C, Lees B, Anyaoku V, Devenport M, Wynn V. The effects of different formulations of oral contraceptive agents on lipid and carbohydrate metabolism. *N Engl J Med*, 1990; 323:1375-1381.

Godsland IF. The influence of female sex steroids on glucose metabolism and insulin action. *J Intern Med* 1996, 240(738):1-65.

Godsland IF, Manassiev NA, Felton CV, Proudler AJ, Crook D, Whitehead MI, Stevenson JC. Effects of low and high dose oestradiol and dydrogesterone therapy on insulin and lipoprotein metabolism in healthy postmenopausal women. *Clin Endocrinol*, 2004; 60:541-9.

Godsland IF. Oestrogens and insulin secretion *Diabetologia*, 2005; 48: 2213-2220.

Godsland IF, Gangar K, Walton C, Cust MP, Whitehead MI, Wynn V, Stevenson JC. Insulin resistance, secretion and elimination in postmenopausal

women receiving oral or transdermal hormone replacement therapy.
Metabolism, 1993; 42: 846–53.

Gomez-Zubeldia MA, Hernandez R, Viguera J, Arbues JJ, Aparicio A, Millan JC.
Effect of bilateral ovariectomy and ovarian steroid hormones on the
antioxidant systems and plasma malondialdehyde levels in Wistar rats.
Endocr Res, 2000; 26: 97–107.

Gomez-Zubeldia MA, Hernandez R, Viguera J, Arbues JJ, Aparicio A, Millan JC.
Effect of bilateral ovariectomy and ovarian steroid hormones on the
antioxidant systems and plasma malondialdehyde levels in Wistar rats.
Endocr Res, 2000; 26: 97–107.

Goodman PA, Medina-Martinez O, Fernandez-Mejia C. Identification of the
human insulin negative regulatory element as a negative glucocorticoid
response element Molecular and Cellular Endocrinology, 1996
;120(2):139-146.

Görgün FM, Kökoğlu E, Gümüştaş MK, Altuğ T, Cansever S, Kavunoğlu G.
Effects of melatonin on plasma S-nitrosoglutathione and glutathione in
streptozotocin-treated rats. J Toxicol Environ Health, 2004; 67: 979–
986.

Goswami D, Conway GS. Premature ovarian failure Human Reproduction
Update, 2005; 11(4): 391–410.

Goswami D, Conway GS. Premature ovarian failure. Horm. Res, 2007; 68: 196–
202.

Gottsater A, Rendell M, Hulthen U, Berntorp E, Mattiasson I: Hormone
replacement therapy in healthy postmenopausal women: a randomized,

- placebo-controlled study of effects on coagulation and fibrinolytic factors. *J Intern Med*, 2001; 249: 237– 246.
- Grady D, Gebretsadik T, Kerlikowske K, Ernster V, Petitti D. Hormone replacement therapy and endometrial cancer risk: a meta-analysis. *Obstet Gynecol*, 1995; 85:304–13.
- Grady D, Rubin SM, Petitti DB, Fox CS, Black D, Ettinger B, Ernster VL, Cummings SR. Hormone therapy to prevent disease and prolong life in postmenopausal women. *Ann Intern Med*, 1992; 117:1016–1037.
- Greendale GA, Lee NP, Arriola ER: The menopause. *Lancet*, 1999; 353: 571– 80.
- Gremlich S, Roduit R, Thorens B. Dexamethasone induces posttranslational degradation of GLUT2 and inhibition of insulin secretion in isolated pancreatic beta cells. Comparison with the effects of fatty acids. *J Biol Chem*, 1997; 272(6): 3216-22.
- Gruber CJ, Tschugguel W, Schneeberger C, Huber JC. Production and actions of estrogens. *N Engl J Med*, 2002; 346:340–52.
- Gruppuso PA, Boylan JM, Posner BI, Faure R, Brautigan DL. Hepatic protein phosphotyrosine phosphatase. Dephosphorylation of insulin receptor and epidermal growth factor receptors in normal and alloxan diabetic rats. *J.Clin.Invest*, 1990; 85: 1754-1760.
- Guillaume-Gentil C, Assimacopoulos-Jeannet F, Jeanrenaud B. Involvement of non-esterified fatty acid oxidation in glucocorticoid-induced peripheral insulin resistance in vivo in rats. *Diabetologia*, 1993; 36: 899-906.

- Gupta S, Chiplunkar S, Kim C, Yel L, Gollapudi S. Effect of age on molecular signaling of TNF- α -induced apoptosis in human lymphocytes. *Mech Ageing Develop.* 2003; 124:503–509.
- Gurdol F, Oner-Yidothan Y, Yalcyn O, Genc S, Buyru F. Changes in enzymatic antioxidant defense system in blood and endometrial tissues of women after menopause. *Res. Commun. Mol. Pathol. Pharmacol.* 1997; 97:38–46.
- Guthmann F, Harrach-Ruprecht B, Looman AC, Stevens PA, Robenek H, Rustow B. Interaction of lipoproteins with type II pneumocytes in vitro: morphologic studies, uptake kinetics and secretion rate of cholesterol. *Eur J Cell Biol.* 1997; 74: 197-207.
- Ha E, Yim SV, Chung JH, Yoon KS, Kang I, Cho YH, Baik HH. Melatonin stimulates glucose transport via insulin receptor substrate-1/phosphatidylinositol 3-kinase pathway in C2C12 murine skeletal muscle cells. *J Pineal Res.* 2006; 41:67–72.
- Haleem DJ, Kennett G, Curzon G. Adaptation of female rats to stress: Shift to male pattern by inhibition of corticosterone synthesis. *Brain Res.* 1988; 458: 339-347.
- Hales CN, Barker DJP. Type 2 (non-insulin-dependent) diabetes mellitus : the thrifty phenotype hypothesis. *Diabetologia*, 1992; 35: 595-601.
- Halici Z, Karaca M, Keles ON, Borekci B, Odabasoglu F, Suleyman H, Cadirci E, Bayir Y, Unal B. Protective effects of amlodipine and lacipine on ovariectomy induced bone loss in rats. *Eur J Pharmacol.* 2008; 2: 117.

- Hamden K, Boujbiha MA, Masmoudi H, Ayadi FM, Jamoussi K, Efeki A. Combined vitamins (C and E) and insulin improve oxidative stress and pancreatic and hepatic injury in alloxan diabetic rats. *Biomedicine & Pharmacotherapy*, 2008; 63: 1–5.
- Hardeland R. Antioxidative protection by melatonin: multiplicity of mechanisms from radical detoxification to radical avoidance. *Endocrine*, 2005; 27: 119–130.
- Harman SM. Estrogen replacement in menopausal women: recent and current prospective studies, the WHI and the KEEPS. *Gend Med*, 2006; 3:254–69
- Harper A E. Glucose-6-phosphatase. In H. U. Bergmeyer (Ed.) *Methods of Enzymatic Analysis*. Academic Press, New York 1965.
- Hazlerigg D, Loudon A. A. New insights into ancient seasonal life timers Current Biology 2008; 18: 795–804.
- He J, Varma A, Weissfeld LA, Devaskar SU. Postnatal glucocorticoid exposure alters the adult phenotype Am J Physiol Regul Integr Comp Physiol, 2004; 287: R198–R208.
- Hemminki E, McPherson K: Impact of postmenopausal hormone therapy on cardiovascular events and cancer: pooled data from clinical trials. *BMJ*, 1997; 315:149–153.
- Hernandez I, Delgado JL, Di'az J, Quesada T, Teruel MJG, Carmen-Llanos M, Carbonell LF. 17 β Estradiol prevents oxidative stress and decreases blood pressure in ovariectomized rats. *Am J Physiol*, 2000; 279:1599–1605.

Hessen M, Bloemeke B, Heussen N, Kunz D. Can the interleukin-6 response to endotoxin be predicted? Studies of the influence of a promoter polymorphism of the interleukin-6 gene, gender, the density of the endotoxin receptor CD14, and inflammatory cytokines. Crit Care Med, 2002; 30: 664.

Heuser IJ, Gotthardt U, Schweiger U, Schmidner J, Lammers C-H, Dettling H, Holsbuer F. Age associated changes of pituitary- adrenocortical hormone regulation in humans; importance of gender. Neurobiol Aging, 1994; 15:227-231.

Hoet JJ, Ozanne S, Reusens B. Influences of Pre- and Postnatal Nutritional Exposures on Vascular/Endocrine Systems in Animals Environ Health Perspect, 2000; 108(3): 563-568.

Holliman BJ, Chyka PA. Problems in assessment of acute melatonin overdose. South Med. J, 1997; 90: 451-453.

Holness MJ, Langdown ML, Sugden MC. Early-life programming of susceptibility to dysregulation of glucose metabolism and the development of type 2 diabetes mellitus. Biochemical Journal, 2000; 349: 657-665.

Hu F, Crespi EJ, Robert J. Denver Programming Neuroendocrine Stress Axis Activity by Exposure to Glucocorticoids during Postembryonic Development of the Frog, *Xenopus laevis* Endocrinology, 2008; 149(11):5470-5481.

Huh K, Shin US, Choi JW, Lee SI. Effect of sex hormones on lipid peroxidation in rat liver. Arch Pharm Res, 1994; 17: 109-114.

- Hulley S, Grady D, Bush T, Furberg C, HerringtonD, Riggs B, Vittinghoff E. Randomized trial of estrogen plus progestin for secondary prevention of coronary heart disease in postmenopausal women. *JAMA*, 1998; 280:605–13.
- Innes K, Byers T, Schymura M. Birth characteristics and subsequent risk for breast cancer in very young women. *Am J Epidemiol*, 2000; 152: 1121–8.
- Jacobson L, Sapolsky R. The role of the hippocampus in feedback regulation of the hypothalamicpituitary- adrenocortical axis. *Endocr Rev*, 1991; 12:118–134.
- Jani JR. Effect of induced neonatal hypermelatonemia on adult carbohydrate and lipid metabolism, pancreatic function and alloxan induced diabetes. Ph.D thesis submitted to The M.S.University of Baroda. 2004.
- Jones KL. World Diabetes Day: Focusing on the children! *Indian J Med*, 2008; 128: 567-569.
- Joshi N. An In Vivo and In Vitro study of Single and Multiple Metal Induced Male Reproductive Toxicity and the Protective Effect of Melatonin in the Rat: Duration Dependent Study. Ph.D thesis submitted to The M.S.University of Baroda. 2009.
- Kalinyak JE, Dorin RI, Hoffman AR, Perlman AJ. Developmental and hormonal regulation of glucocorticoid receptor messenger RNA in the rat. *J.Clin.Invest*, 1989; 84:1843-1848.
- Kamgang R, Mboumi RY, Fondjo AF, Tange MAF, Mengue N dille GPR, Yonkeu JN. Anti hyperglycaemic potential of the water-ethanol extract

- of Kalanchoe crenata (Crassulaceae). *Journal of natural medicines*, 2008; 62: 34-40.
- Kanaya AM, Herrington D, Vittinghoff E, Lin F, Grady D, Bittner V, Cauley JA, Barrett-Connor E. Glycaemic effects of postmenopausal hormone therapy: the Heart and Estrogen/Progestin Replacement Study. *Ann Intern Med* 2003; 138:1-9.
- Kanitz E, Otten W, Tuchscherer M. Changes in endocrine and neurochemical profiles in neonatal pigs prenatally exposed to increased maternal cortisol. *Journal of Endocrinology*, 2006; 191: 207-220.
- Kankofer M, Radzki RP, Bien'ko M, Albera E. Anti-oxidative/Oxidative Status of Rat Liver After Ovariectomy. *J. Vet. Med, A* 2007; 54: 225-229.
- Karvonen M, Viik-Kajander M, Molchanova E, Libman I, LaPorte R, Tuomilehto J. Incidence of childhood type 1 diabetes worldwide. *Diabetes Mondiale (DiaMond) Project Group*. *Diabetes Care*, 2000; 23 : 1516-26.
- Katsumata K, Katsumata KJr, Katsumata Y. Protective effect of diltiazem hydrochloride on the occurrence of alloxan or streptozotocin induced diabetes in rats. *Horm.Metab.Res*, 1992; 24:508-510.
- Katsumata K, Katsumata Y, Ozawa T, Katsumata KJr. Potentiating effects of combined usage of three sulfonylurea drugs on the occurrence of alloxan diabetes in rats. *Horm.Metab.Res*, 1993; 25: 125-126.
- Kay HH, Bird IM, Coe CL, Dudley DJ. Antenatal steroid treatment and adverse fetal effects: what is the evidence?. *J Soc Gynecol Invest*, 2000; 7: 269-278.

Kaya H, Sezik M, Ozkaya O, Dittrich R, Siebzehnrubl E, WildtL. Lipid peroxidation at various estradiol concentrations in human circulation during ovarian stimulation with exogenous gonadotropins. Horm Metab Res, 2004; 36: 693–695.

Keen H, Ng Tang Fui S. The identification and classification of diabetes mellitus. Clin Endocrinol Metab, 1982;11:279-305.

Kireev RA, Tresguerres ACF, Garcia C, Ariznavarreta C, Vara E ,Tresguerres JAF. Melatonin is able to prevent the liver of old castrated female rats from oxidative and pro-inflammatory damage. J. Pineal Res, 2008; 45:394–402.

Kirsten R. Poore, Jane K. Cleal, James P. Newman, Julian P. Boullin, David E. Noakes,1 Mark A. Hanson, and Lucy R. Green Nutritional challenges during development induce sex-specific changes in glucose homeostasis in the adult sheep Am J Physiol Endocrinol Metab, 2007; 292: E32–E39.,

Kono Y, Fridovich I. Superoxide radical inhibits catalase. J. Biol. Chem, 1982; 257: 5751–5754.

Krauchi K, Cajochen C, Mori D, Graw P, Wirz A. Justice Early evening melatonin and S-20098 advance circadian phase and nocturnal regulation of core body temperature Am J Physiol Regul Integr Comp Physiol, 1997; 272: 1178-1188.

Kuhl H. Pharmacology of estrogens and progestogens: influence of different routes of administration. Climacteric, 2005; 8(Suppl. 1):3–63.

- Kumagai SA, Holmang A, Bjorntorp P. The effects of oestrogen and progesterone on insulin sensitivity in female rats. *Acta Physiol Scand*, 1993; 149:91-7.
- Kumru S, Aydin S, Aras A, Gursu MF, Gulcu F. Effects of surgical menopause and estrogen replacement therapy on serum paraoxonase activity and plasma malondialdehyde concentration. *Gynecol Obstet Invest*, 2005; 59: 108-112
- Kwoun MO, Ling PR, Lydon E, Imrich A, Qu Z, Polombo J, and Bistrian BR. Immunological effects of acute hyperglycaemia in non diabetic rats. *J. Parenter Enteral Nutr*, 1997; 21: 91.
- L'Hermite M, Simoncini T, Fuller S, Genazzani A R. Could transdermal estradiol + progesterone be a safer postmenopausal HRT? A review. *Maturitas*, 2008; 60(3-4): 185-201.
- Lagu SK. Effect of neonatal alteration in thyroid status with or without melatonin on growth of male reproductive system of rats exposed to short photoperiod. Ph.D thesis submitted to The M.S.University of Baroda. 2001.
- Lagu SK, Bhavsar NG, Sharma RK, Ramachandran AV. Neonatal hypothyroidism-induced changes in rat testis size, dependence on temperature. *Neuro Endocrinol Lett*, 2005 ; 26(6): 780-8.
- Laitinen J, Pietilainen K, Wadsworth M, Sovio U, Jarvelin MR. Predictors of abdominal obesity among 31-y-old men and women born in Northern Finland in 1966. *Eur J Clin Nutr*, 2004; 58: 180-90
- Landfield P, Waymire J, Lynch G. Hippocampal aging and adrenocorticoids: Quantitative correlations. *Science*. 1978; 202: 1098-1102.

- Langley-evans SC. Maternal carbinoxolone treatment lowers birthweight and induces hypertension in the offspring of rats fed a protein-replete diet. *Clinical Science*, 1997; 93, 423–429.
- Lawrenson RA, Newson RB, Feher MD. Do women with diabetes receive hormone replacement therapy? *Practical Diabetes Int*, 1998;15:71–72.
- Le Couteur DG, Mclean AJ. The aging liver. Drug clearance and an oxygen diffusion barrier hypothesis. *Clin Pharmacokinet*, 1998; 34:359–373.
- Lean JM, Davies JT, Fuller K, Jagger CJ, Kirstein B, Partington GA, Urry ZL, Chambers TJ. A crucial role for thiol antioxidants in estrogen-deficiency bone loss. *J Clin Invest*, 2003; 112(6):915-23.
- Lenzen S, Munday R. Thiol-group reactivity, hydrophilicity and a comparison with ninhydrin. *Biochem.Pharmacol*, 1991; 42: 1385-1391.
- Leong NM, Mignone LI, Newcomb PA, Titus-Ernstoff L, Baron JA, Trentham-Dietz A. Early life risk factors in cancer: the relation of birth weight to adult obesity. *Int J Cancer*, 2003; 103: 789–91.
- Lesniewska B, Miskowiak B, Nowak M, Malendowicz LK. Sex differences in adrenocortical structure and function. The effect of ether stress on ACTH and corticosterone in intact, gonadectomized, and testosterone- or estradiol-replaced rats. *Res. Exp. Med. (Berl.)*, 1990; 190: 95–103.
- Lillioja S, Mott DM, Spraul M, Ferraro R, Foley JE, Ravussin E, Knowler WC, Bennett PH, Bogardus C. Insulin resistance and insulin secretory dysfunction as precursors of non-insulin-dependent diabetes. Prospective Study of Pima Indians. *N Engl J Med* 1993; 329: 1988–1992.

Lindheim SR, Presser SC, Ditkoff EC, Vijod MA, Stancck FZ, Lobo RA. A possible bimodal effect of strong insulin sensitivity in postmenopausal women and the attenuating effect of added progestin. *Fertil Steril*, 1993; 60:664-7.

Lindsay RS, Lindsay RM, Waddell BJ, Seckl JR. Prenatal glucocorticoid exposure leads to offspring hyperglycaemia in the rat: studies with the 11 beta-hydroxysteroid dehydrogenase inhibitor carbenoxolone. *Diabetologia*, 1996; 39 (11):1299-305.

Ling PR, Mueller C, Smith RJ, Bistrian BR. Hyperglycaemia induced by glucose infusion causes hepatic oxidative stress and systemic inflammation, but not STAT3 or MAP kinase activation in liver in rats. *Metabolism*, 2003; 52: 868.

Liu Y, Shimizu I, Omoya T, Ito S, Gu XS, Zuo J. Protective effect of estradiol on hepatocytic oxidative damage. *World J Gastroenterol*, 2002; 8:363-366.

Lowry OH, Rosenbrough NJ, Farr AL, Randall RJ. Protein measurement with the Folin phenol reagent. *J.Biol.Chem*, 1951; 193: 265-275.

Lui M, Xu X, Rang W, Li Y, Song H. Influence of ovariectomy and 17beta-estradiol treatment on insulin sensitivity, lipid metabolism and post-ischemic cardiac function. *Int J Cardiol* 2004; 97: 485-93.

Luine VN, Richards ST, Wu VY, Beck KD. Estradiol enhances learning and memory in a spatial memory task and effects levels of monoaminergic neurotransmitters. *Horm. Behav*, 1998; 34: 149- 162.

- Lundein SG, Carver JM, McKean M, Winneker RC. Characterization of the Ovariectomized rat model for the evaluation of estrogen effects on plasma cholesterol levels. *Endocrinology*, 1997; 138: 1552-1558.
- Maestroni G J M, Conti A , Pierpaoli W. Role of the pineal gland in immunity: II. Melatonin enhances the antibody response via an opiateergic mechanism *Clin. exp. Immunol.*, 1987; 68, 384-391.
- Maggio D, Barabani M, Pierandrei M, Polidori MC, Catani M, Mecocci P, Semin U, Pacifici R, Cherubini A. Marked decrease in plasma antioxidants in aged osteoporotic women: results of a cross-sectioned study. *J. Clin. Endocrinol. Metab.*, 2003; 88:1523–1527.
- Manwaring P, Morfis L, Diamond T, Howes LG. the effect of hormone replacement therapy on plasma lipids in type II diabetes. *Maturitas*, 2000; 34: 239-247.
- Margolis KL, Bonds DE, Rodabough RJ, Tinker L, Phillips LS, Allen C, Bassford T, Burke G, Torrens J, Howard BV. Efect of oestrogen plus progestin on the incidence of diabetes in postmenopausal women: results from the Women's Health Initiative Hormone trail. *Diabetologia*, 2004; 47: 1175-1187.
- Maritim AC, Sanders RA, Watkins JB. Diabetes, oxidative stress, and antioxidants: a review. *J Biochem Mol Toxicol*, 2003; 17: 24-38
- Marklund S, Marklund G. Involvement of the superoxide anion radical in the auto oxidation of pyrogallol and a convenient assay for superoxide dismutase. *Eur J. Biochem*, 1974; 47: 469-474.

Martyn CN, Barker DJP, Jespersen S, Greenwald S, Osmond C, Berry C. Growth in-utero, adult-blood pressure, and arterial stiffness. *Br Heart J.* 1995; 73: 116–121

Marzena F, Ewa P and Paweł M. In vivo and in situ action of melatonin on insulin secretion and some metabolic implications in the rat. *Pancreas*, 2002; 25: (2) :166-169.

Massafra C, Buonocore G, Gioia D, Sargentini I, Farina G. Effects of estradiol and medroxyprogesterone acetate treatment on erythrocyte antioxidant enzyme activities and malondialdehyde plasma levels in amenorrheic women. *J. Clin. Endocrinol. Metab.* 1997; 82:173–175.

Massafra C, Gioia D, De Felice C, Picciolini E, De Leo V, Bonifazi M, Bernabei A, Effects of estrogens and androgens on erythrocyte antioxidant superoxide dismutase, catalase and glutathione peroxidase activities during the menstrual cycle. *J. Endocrinol.* 2000; 167: 447–452.

McEwen B.S. Estrogens effects on the brain-multiple sites and molecular mechanisms *J.Appl.Physiol*, 2001; 91:2785-2801

McLarty DG, Athaide I, Bottazzo GF, Swai ABM, Alberti KGMM. Islet cell antibodies are not specifically associated with insulin-dependent diabetes in rural Tanzanian Africans. *Diabetes Res Clin Pract* 1990; 9: 219–224.

McManus J, McEneny J, Thompson W, Young IS. The effect of hormone replacement therapy on the oxidation of low density lipoprotein in postmenopausal women. *Atherosclerosis*, 1997; 135:73–81.

- Mcmillen C, Robinson JS. Developmental Origins of the Metabolic Syndrome: Predictions, Plasticity, and Programming. *Physiol Rev*, 2005; 85:571-633.
- McPherson CP, Sellers TA, Potter JD, Bostick RM, Folsom AR. Reproduction factors and risk of endometrial cancer: the Iowa women's health study. *Am J Epidemiol*, 1996; 143:1195-202.
- Meade TW, Vickers MR: HRT and cardiovascular disease. *J Epidemiol Biostat*, 1999; 4:165-190.
- Meaney M J, Aitken DH. The effects of early postnatal handling on hippocampal glucocorticoid receptor concentrations: Temporal parameters. *Dev. Brain Res*, 1985; 22: 301-304.
- Midgley PC, Holownia P, Smith J, Moore M, Russell K, Oates N, Shaw JC, Honour JW. Plasma cortisol, cortisone and urinary glucocorticoid metabolites in preterm infants. *Biol Neonate*, 2001; 79:79-86.
- Missale C, Govoni S, Croce L, Bosio A, Spano PF, Trabucchi M. Changes of β -endorphine and met-enkephalin content in the hypothalamus-pituitary axis induced by aging. *J. Neurochem*, 1983; 40:20-24.
- Modena MG, Sismondi P, Mueck AO, Kuttenn F, Lignières B, Verhaeghe J, Foidart JM, Caufriez A, Genazzani AR. New evidence regarding hormone replacement therapies is urgently required. Transdermal postmenopausal hormone therapy differs from oral hormone therapy in risks and benefits. *Maturitas* 2005; 52:1-10.
- Mohan V, Shanthirani S, Deepa R, Premalatha G, Sastry NG, Saroja R. Intra-urban differences in the prevalence of the metabolic syndrome in

- southern India - the Chennai Urban Population Study (CUPS No. 4). Diabet Med, 2001; 18:280-7.
- Montilla PL, Vargas JF, Tunez IF, Munoz de Agueda MC., Valdelvira ME, Cabrera ES. Oxidative stress in diabetic rats induced by streptozotocin: protective effects of melatonin. J Pineal Res, 1998; 25:94–100.
- Mooy JM, Grootenhuis PA, de Vries H, Valkenburg HA, Bouter LM, Kostense PJ, Heine RJ. Prevalence and determinants of glucose intolerance in a Dutch population. The Hoorn Study. Diabetes Care, 1995; 18: 1270–1273.
- Morgan L, Hampton S, Gibbs M, Arendt J. Circadian aspects of postprandial metabolism. Chronobiol Int, 2003; 20:795–808.
- Mosca L. The role of hormone replacement therapy in the prevention of postmenopausal heart disease. Arch Intern Med, 2000; 160:2263–2272.
- Moura EGde, Passos MCF. Neonatal Programming of Body Weight Regulation and Energetic Metabolism Bioscience Reports, 2005; 25(3/4).
- Mukherjee, R. Trimetallic toxicity on heart and brain of rats of different post natal ages and the ameliorating effect of melatonin. Ph.D Thesis, The M.S.University of Baroda 2007.
- Muthusami S, Ramachandran I, Muthusamy B, Vasudevan G, Prabhu V, Subramaniam V, Jagadeesan A, Narasimhan S. Ovariectomy induces oxidative stress and impairs bone antioxidant system in adult rats. Clin. Chim. Acta, 2005; 360: 81–86.

- Nakao N, Ono H, Yoshimura T. Thyroid hormones and seasonal reproductive neuroendocrine interactions Reproduction, 2008; 136: 1-8.
- National Diabetes Data Group. Classification and diagnosis of diabetes mellitus and other categories of glucose intolerance. Diabetes 1979; 28: 1039–1057.
- Naziroğlu M, Simsek M, Simsek H, Aydilek N, Ozcan Z, Atilgan R. The effects of hormone replacement therapy combined with vitamins C and E on antioxidant levels and lipid profiles in postmenopausal women with Type 2 diabetes. Clinica Chimica Acta, 2004; 344: 63–71.
- Ndukuba PI, Ramachandran AV. Is the pineal involved in the stimulatory influence of prolactin on tail regeneration in lizards? Studies with exogenous prolactin in lizards exposed to continuous darkness. General and Comparative Endocrinology, 1989; 76 (2): 192-199.
- Nelson LM. Clinical practice. Primary ovarian insufficiency. N Engl J Med, 2009; 360: 606–14.
- Neville NCT, Ying Gao, Yuet-Kin Leung, Shuk-Mei H. Androgenic Regulation of Oxidative Stress in the Rat Prostate Involvement of NAD (P) H Oxidases and Antioxidant Defense Machinery during Prostatic Involution and Regrowth American Journal of Pathology, 2003;163: 6.
- Nilsson C, Jennische E, Ho HP, Eriksson E, Björntorp P, and Holmang A. Increased insulin sensitivity and decreased body weight in female rats after postnatal corticosterone exposure. Eur J Endocrinol, 146: 847–854, 2002.
- Nishida S. Metabolic effects of melatonin on oxidative stress and diabetes mellitus. Endocrine, 2005; 27: 131-136.

Noyan T, Kiroğlu AF, Kara T, Keskin S. Stress before and after nasal packing following peroxidase nasal septoplasty. *Turkiye Klinikleri J. Int. Med. Sci.*, 2008; 28: 259–264.

Nyirenda MJ, Lindsay RS, Kenyon CJ, Burchell A, and Seckl JR. Glucocorticoid exposure in late gestation permanently programs rat hepatic phosphoenolpyruvate carboxykinase and glucocorticoid receptor expression and causes glucose intolerance in adult offspring. *J Clin Invest*, 1998; 101: 2174–2181.

Nyirenda MJ, Welberg LA, and Seckl JR. Programming hyperglycemia in the rat through prenatal exposure to glucocorticoids-fetal effect or maternal influence. *J Endocrinol*, 2001; 170: 653–660.

O'Rahilly S, Krook A, Morgan R, Rees A, Flier JS, Moller DE. Insulin receptor and insulin responsive glucose transporter (GLUT 4) mutations and polymorphisms in a Welsh type 2 (non insulin dependent) diabetic population. *Diabetologia*, 1992; 35: 486–489.

Ordóñez P, Moreno M, Alonso A, Fernández R, Díaz F, González C. Insulin sensitivity in streptozotocin-induced diabetic rats treated with different doses of 17 β -oestradiol or progesterone *Exp Physiol*, 2007; 92(1): 241–249.

Ordóñez, Nelson G MD. Value of Immunohistochemistry in Distinguishing Peritoneal Mesothelioma From Serous Carcinoma of the Ovary and Peritoneum: A Review and Update Advances in Anatomic Pathology, 2006; 13(1):16-25.

Oxenkrug G, McIntyre I, Stanley M, Gershon S. Dexamethasone suppression test: Experimental model in rats, and effect of age. *Bid. Psychiat.*, 1984; 19:413-416.

Oxenkrug G, Pomara N, McIntyre I, Stanley M, Gershon S. Aging and cortisol resistance to suppression by dexamethasone: a positive correlation. *Psychiat. Res.* 1983; 10: 125-130.


Ozbasar D, Toros U, Ozkaya O, Sezik M, Uzun H, Genc H, Kaya H. Raloxifene decreases serum malondialdehyde and nitric oxide levels in postmenopausal women with end-stage renal disease under chronic hemodialysis therapy. *J. Obstet. Gynaecol. Res.*, 2010; 36(1): 133–137.

Ozgonul M, Oge A, Sezer ED, Bayraktar F, Sozmen EY. The effects of estrogen and raloxifene treatment on antioxidant enzymes in brain and liver of ovariectomized female rats. *Endocr. Res.*, 2003; 29:183–189.

Oztekin E, Tiftik AM, Baltaci AK, Mogulkoc R. Lipid peroxidation in liver tissue of ovariectomized and pinealectomized rats: effect of estradiol and progesterone supplementation. *Cell Biochem Funct.*, 2007; 25: 401–405.

Panay N, Kalu E. Management of premature ovarian failure. *Best Pract Res Clin Obstet Gynaecol*, 2009;23: 129–40.

Parlakpinar H, Ozer MK, Sahna E, Vardi N, Cigremis Y, Acet A. Amikacin-induced acute renal injury in rats: protective role of melatonin. *J Pineal Res.*, 2003; 35:85–90.



Parlakpinar H, Sahna E, Ozer MK, Ozugurlu F, Vardi N, Acet A. Physiological and pharmacological concentrations of melatonin protect against cisplatin-induced acute renal injury. *J Pineal Res*, 2002; 33:161–166.

Paskaloglu K, Xener G, Ayanoglu-Dolger G. Melatonin treatment protects against diabetes-induced functional and biochemical changes in rat aorta and corpus cavernosum. *European Journal of Pharmacology*, 2004; 499: 345– 354.

Patel MM, Ramachandran AV. Seasonal alterations in various lipid fractions of testis and ovary in normal and pinealectomised pigeons, *Columba livia*. *J reprod biol comp endocrinol*, 1987; 7(2): 61-71.

Patel MM, Ramachandran AV. In vitro influence of hormones on transport of glucose and glycogen in liver and muscle of pinealectomised pigeons, *Columba livia* Gmellin. *Indian Journal of Experimental Biology*, 1992; 30(3): 211-3.

Patel C, Banerjee S, Ramachandran AV. Carbohydrate Metabolism and Pancreatic Islet functions in Pinealectomized Pigeons replaced with Melatonin in the breeding season in *The Journal of Cell and Tissue Research*, 2005; 5(1): 353-356.

Perera M, Wedisinghe L, Diabetes and Menopause. *Maturitas*, 2009; 63: 200-203.

Peschke E, Wolgast S, Bazwinsky E. Increased Melatonin Synthesis in Pineal Glands of Rats in Streptozotocin induced Type-I Diabetes. *J.Pineal. Res*, 2008;45:439-448.

Peschke E. Melatonin, endocrine pancreas and diabetes. *J Pineal Res*, 2008; 44:26–40.

Picard F, Deshaies Y, Lalonde J, Samson P, Labrie C, Bélanger A, Labrie F, Richard D. Effects of the estrogen antagonist EM-652.HCl on energy balance and lipid metabolism in ovariectomized rats. *Int J Obes Relat Metab Disord*, 2000; 24:830-40.

Pickup JC, Williams G. *Textbook of Diabetes*. Blackwell Science Ltd.USA,2003; third edition.

Pinhas-Hamiel O, Zeitler P. The global spread of type 2 diabetes in children and adolescents. *J Pediatr*, 2005; 146 : 693-700.

Plagemann A. 'Fetal programming' and 'functional teratogenesis': on epigenetic mechanisms and prevention of parinatally acquired lasting health risks. *J Perinat Med*, 2004; 32:297-305.

Pines A, Sturdee DW, Birkhäuser MH, Schneider HPG, Gambacciani M, Panay N. on behalf of the Board of the International Menopause Society. IMS updated recommendations on postmenopausal hormone therapy. *Climacteric* 2007; 10:181–94.

Pitkin J, Rees MC, Gray S, Lumsden MA, Marsden J, Stevenson JC, Williamson J. Management of premature menopause. *Menopause Int*, 2007; 13:44–5.

Plonne D, Schulze HP, Kahlert U, Meltke K, Seidolt H, Bennett AJ, Cartwright IJ, Higgins JA, Till U, Dargel R. Postnatal development of hepatocellular apolipoprotein B assembly and secretion in the rat. *J Lipid Res*, 2001; 42: 1865–1878.

Pozo D, Reiter RJ, Calvoj P, Guerrer M. Physiological concentrations of melatonin inhibit nitric oxide synthase in rat cerebellum. *Life Sci*, 1994; 65: PL455-PL460.

Pradeepa R, Deepa R, Mohan V. Epidemiology of Diabetes in India – Current perspective and future projections. *J Indian Med Assoc* 2002; 100:144-7.

Prediger ME, Siqueira IR, Gamaro GD, Silva MS, Netto CA, Dalmaz C. Protective effect of pregnanolone against lipoperoxidation and free radicals generation induced in hypothalamus of ovariectomized rats submitted to CO₂ exposure. *Pharmacol Biochem Behav*, 2004; 78:191–197.

Proudler AJ, Felton CV and Stevenson JC. Ageing and the response to plasma insulin, glucose and C-peptide concentrations to intravenous glucose in postmenopausal women. *Clin Sci*, 1992, 83, 489-494.

Rahier J, Wallon J, Henquin JC. Cell populations of the endocrine pancreas of human neonates and infants. *Diabetologia*, 1981; 20:540–546

Ramachandran A, Jali MV, Mohan V, Snehalatha C, Viswanathan M. High prevalence of diabetes in an urban population in South India. *BMJ*, 1988; 297:587-90.

Ramachandran A, Snehalatha C, Dharmaraj D, Viswanathan M. Prevalence of glucose intolerance in Asian Indians: urban - rural difference and significance of upper body adiposity. *Diabetes Care*, 1992; 15:1348-55.

Ramachandran A, Snehalatha C, Kapur A, Vijay V, Mohan V, Das AK, Rao PV, Yajnik CS, Prasanna KKM, Nair JD. Diabetes Epidemiology Study Group in India (DESI): high prevalence of diabetes and impaired glucose tolerance in India. National urban Diabetes Survey. *Diabetologia*, 2001; 44:1094-101.

Ramachandran, A., Snehalata, C. Current scenario of diabetes in India, *Journal of Diabetes*, 2009; 1: 18–28.

Ramachandran A.V, Bhavsar N.G, Lagu S.K. Resetting of adult hormonal axes and male germ cell kinetics: neonatal melatonin excess and developmental plasticity *Annals of Biological Research*, 2010; 1 (3) : 85-100.

Ramachandran AV, Patel MM. Seasonal Differences in Glucose Tolerance and Insulin Response of Pinealectomized Pigeons (*Columba livia*). *Journal of Pineal Research*, 1989; 6 (3): 209–219.

Ramachandran AV. Pineal and glucoregulation in vertebrates with special emphasis on aves. *Treatise on Pineal Gland and Melatonin*, 2002; 555: 239-267

Ravelli ACJ, van der Meulen JHP, Michels RPJ, Osmond C, Barker DJP, Hales CN, Bleker OP. Glucose tolerance in adults after prenatal exposure to the Dutch famine. *Lancet*, 1998; 351:173–7.

Redei ELL, Halasz I, McGivern R, Aird F. Fast glucocorticoid feedback inhibition of ACTH secretion in the ovariectomized rat: effect of chronic estrogen and progesterone. *Neuroendocrinology*, 1994; 60:113-123

- Rees M, Stevenson J, Hope S, Rozenberg S, Palacios S. Management of the menopause. 5th ed. London: British Menopause Society Publications Ltd. And Royal Society of Medicine Press; 2009.
- Reiter RJ. Pineal control of a seasonal reproductive rhythm in male golden hamsters exposed to natural daylight and temperature. *Endocrinology*, 1973; 92(2): 423-430.
- Reiter RJ. Pineal melatonin: cell biology of its synthesis and its physiological interactions. *Endocr. Rev*, 1991; 12: 151-180.
- Reiter RJ. Photoperiod: its importance as an impeller of pineal and seasonal reproductive rhythms. *Int J Biometeorol*, 1980; 24:57-64
- Reiter R J, Dun-Xian T, Lucien CM, Sergio DP , Juan CM, Rosa MS. Melatonin and Reproduction Revisited . *Biology of reproduction*, 2009; 81: 445-456.
- Reiter RJ, Cabrera J, Sainz RM, Mayo JC, Manchester LC, Tan DX. Melatonin as a pharmacological agent against neuronal loss in experimental models of Huntington's disease, Alzheimer's disease and parkinsonism. *Ann. N. Y. Acad. Sci*, 1999; 890:471–485.
- Rhee SG, Chang TS, Bae YS, Lee SR, Kang SW. Cellular regulation by hydrogen peroxide. *J Am Soc Nephrol*, 2003; 14:211–215.
- Rincon J, Holmäng A, Wahlström EO, Lönnroth P, Björntorp P, Zierath JR, Wallberg-Henriksson H. Mechanisms behind insulin resistance in rat skeletal muscle after oophorectomy and additional testosterone treatment. *Diabetes*, 1996; 45:615-21.

- Ritz P, Duman JF, Simard G, Roussel D, Douay O, Foussard F, Malthiery Y, Ritz P. Mitochondrial energy metabolism in a model of undernutrition induced by dexamethasone. *Br J Nutr*, 2003; 90: 969–977.
- Roe JH. Chemical Determination of Ascorbic acid, Dehydro ascorbic acid and diketogulonic acid methods. *Biochemical. Anal*, 1954; 1: 137.
- Rosenfeld P, Sutanto W, Levine S, De Kloet ER..II corticosteroid receptors in the rat hippocampus. *Dev. Brain Res*, 1988a; 42: 113-118.
- Rosenfeld P, Van Eekelen JAM, Levine S, De Kloet ER. Ontogeny of the Type 2 glucocorticoid receptor in discrete rat brain regions: An immunocytochemical study. *Dev. Brain Res*, 1988b; 42:119-127.
- Rossouw JE, et al. Risks and benefits of oestrogen plus progestin in healthy postmenopausal women: principal results from the Women's Health Initiative randomized controlled trial. *JAMA*, 2002; 288:321–33.
- Roth GS. Age related changes in specific glucocorticoid binding by steroid-responsive tissues of rats. *Endocrinology*,1979; 99:82-85.
- Rotruck JT, Pope AL, Ganther HE, Swanson AB, Hafeman DG, Hoekstra WG. Biochemical role as a component of glutathione peroxidase. *Sci*, 1973; 179: 588-590
- Saengsirisuwan V, Pongseeda S, Prasannarong M, Vichaiwong K, Toskulkao C. Modulation of insulin resistance in ovariectomized rats by endurance exercise training and estrogen replacement Metabolism Clinical and Experimental, 2009; 58: 38–47.

- Sagara Y. The climacteric: aging of ovary and objective evaluation of the climacteric symptoms. *Nippon Sanka Fujinka Gakkai Zasshi*, 1989; 41:1039–1044.
- Sainz RM, Reiter RJ, Mayo JC, Cabrera J, Tan DX, Qi W, Garcia JJ. Changes in lipid peroxidation during pregnancy and after delivery in rats: effect of pinealectomy. *J Reprod Fertil*, 2000; 119:143–149.
- Sakurai K, Ogiso T. Effect of ferritin on DNA strand breaks in the reaction system of alloxan plus NADPH- cytochrome P450 reductase: ferritin's role in diabetogenic action of alloxan. *Biol.Pharma.Bull*, 1995; 18: 262–265.
- Salpeter SR, Walsh JME, Ormiston TM, Greyber E, Buckley NS, Salpeter EE. Meta-analysis: effect of hormone replacement therapy on components of the metabolic syndrome in postmenopausal women. *Diabetes Obes Metab* 2006; 8:538–54.
- Samuelsson N, Dahlgren SE, Lindgren A, Rouzer A, Serha CN. Leukotrienes and lipoxins. Structures biosynthesis, and biological effects. *Science*, 1987; 237: 1171-1176.
- Sánchez-Barceló EJ, Cos S, Mediavilla D, Martínez-Campa C, González A, Alonso-González C. Melatonin–estrogen interactions in breast cancer. *Journal of Pineal Research*, 2005; 38 (4): 217–222.
- Sanderson M, Williams MA, Malone KE, Stanford JL, Emanuel I, White E, Daling JR. Perinatal factors and risk of breast cancer. *Epidemiology*, 1996; 7: 34–7.

Sandyk R, Anastasiadis PG, Anninos PA, Tsagas N. Is postmenopausal osteoporosis related to pineal gland functions? *Int. J. Neurosci.*, 1992; 62:215– 225.

Santanam N, Shern-Brewer R, McClatchey R, Castellano PZ, Murphy AA, Voelkel S, Parthasarathy S. Estradiol as an antioxidant: incompatible with its physiological concentrations and function. *J Lipid Res.* 1998; 39:2111–2118.

Santizo RA, Xu HL, Ye S, Baughman VL, Pelligrino DA. Loss of benefit from estrogen replacement therapy in diabetic ovariectomized female rats subjected to transient forebrain ischemia. *Brain research*, 2002; 956: 86-95S.

Sanchez-Mateos C, Alonso-Gonzalez A, Gonzalez CM, Martinez-Campa MD, Mediavilla S, Cos EJ, Sanchez-Barcelo . Melatonin and estradiol effects on food intake, body weight, and leptin in ovariectomized rats *Maturitas* 58 (2007) 91–101

Sapolsky RM, Meaney MJ. Maturation of the adrenocortical stress response: Neuroendocrine control mechanisms and the stress hyporesponsive period. *Brain Research Reviews*, 1986; 11(1): 65-76.

Sato T, Teramoto T, Tanaka K, Ohnishi Y, Irfune M, Nishikawa T. Effects of ovariectomy and calcium deficiency on learning and memory of eight-arm radial maze in middle-aged female rats. *Behav. Brain Res.*, 2003; 142:207– 216.

- Scaglia L, Cahill CJ, Finegood DT, Bonner-Weir S. Apoptosis participates in the remodeling of the endocrine pancreas in the neonatal rat. *Endocrinology*, 1997;138:1736– 1741.
- Schulze-Osthoff K, Beyaert R, Vandevorde V, Haege- man G, and Fiers W. Depletion of the mitochondrial electron transport abrogates the cytotoxic and gene inductive effects of TNF. *EMBO J*, 1993; 12: 3095–3104.
- Seeman TE, Robbins RJ. Aging and Hypothalamic-Pituitary-Adrenal Response to Challenge in Humans. *Endocrine Review*, 1994; 15:233-261.
- Seidner G, Alvarez MG, Yeh JI. GLUT 1 deficiency syndrome caused by haploinsufficiency of the blood brain barrier hexose carrier. *Nat. Genet*, 1998; 18: 188-191.
- Seifter S, Dayton S, Novic B, Muntywyler E. The estimation of glycogen with the anthrone reagent. *Arch Biochem Biophys*, 1950; 50:191-200.
- Sener G, Arbak S, Kurtaran P, Gedik N, Yegen BC. Estrogen protects the liver and intestines against sepsis-induced injury in rats. *J. Surg. Res*, 2005; 128: 70–78.
- Sener G, Balkan J, Cevikbas U, Keyer-Uysal M, Uysal M. Melatonin reduces cholesterol accumulation and prooxidant state induced by high cholesterol diet in the plasma, the liver and probably the aorta of C57BL/6J mice. *J Pineal Res*, 2004; 36:212–6.
- Sener G, Sehirli AO, Ayanoglu-Dulger G. Melatonin protects against mercury (II)-induced oxidative tissue damage in rats. *Pharmacol Toxicol*, 2003; 93: 290–296.

Sener G, Sehirli AO, Keyer-Uysal M, Arbak S, Ersoy Y, Yegen BC. The protective effect of melatonin on renal ischemiareperfusion in rat. J.Pineal.Res, 2002; 32: 120.

Shaw J. Epidemiology of childhood type 2 diabetes and obesity. Pediatr Diabetes, 2007; 8 (Suppl 9): 7-15.

Sherman RC, Langley-Evans SC. Early administration of angiotensin-converting enzyme inhibitor, captopril, prevents the development of hypertension programmed by intrauterine exposure to a maternal lowprotein diet. Clin. Sci, 1998; 94, 373-381.

Shinwell ES, Karplus M, Reich D, Weintraub Z, Blazer S, Bader D, Yurman S. Early postnatal dexamethazone treatment and increased incidence of cerebral palsy. Arch.Dis.Child, 2000; 83: F177-F181.

Shuster LT, Rhodes DJ, Gostout BS, Grossardt BR, Rocca WA. Premature menopause or early menopause: Long term health consequences. Maturitas, 2010; 65(2):161-166.

Shuster LT, Rhodes DJ, Gostout BS, Grossardt BR, Rocca WA. Premature menopause or early menopause: Long term health consequences. Maturitas, 2010; 65(2):161-166.

Simonneaux V, Ribelayga C. Generation of the Melatonin Endocrine Message in Mammals: A Review of the Complex Regulation of Melatonin Synthesis by Norepinephrine, Peptides, and Other Pineal Transmitters. Pharmacol. Rev, 2003; 55: 325-395.

Singh PK. Studies on herbal extract, melatonin and exercise in the control of diabetic manifestations and, cadmium and diabetes. Ph.D thesis submitted to The M.S.University of Baroda. 2010.

Singh PK, Baxi DB, Mukherjee R, Potnis KH, Ramachandran AV. Supplementation with a polyherbal extract and melatonin together with exercise effectively reverses diabetic glycaemic status and carbohydrate metabolism and insulin level. *Int J Biol Med Res*, 2010; 1(3): 54-60.

Singh PK, Baxi DB, Mukherjee R, Ramachandran AV. Evaluation on the efficacy of a Poly herbal supplement along with exercise in alleviating Dyslipidemia, Oxidative stress and hepatic and renal toxicity associated with Type-1 diabetes. *Journal of Herbal Medicine and Toxicol*, 2010; 4(1): 207-215.

Singh PK, Baxi DB, Mukherjee R, Selvaraj J, Ramachandran AV. Diabetic amelioration by poly herbal supplement and exercise: Studies on type – I diabetic rat model. *Journal of Herbal Medicine and Toxicology*, 2010 (b); 4 (1): 217-226 .

Singh PK, Baxi DB, Mukherjee R, Selvaraj J, Ramachandran AV. Supplementation with a polyherbal extract and melatonin together with exercise effectively corrects dyslipidemia but with some incompetence in reversing antioxidant status and hepatic and renal dysfunction. *Int J Biol Med Res*. 2010; 1(4): 177-184

Sinha A: Catalase - An extra ordinary enzyme. *Sci*, 1972; 210: 71-82.

Sontakke AN, Tare RS. A duality in the roles of reactive oxygen species with respect to bone metabolism. *Clin. Chim. Acta*, 2002; 318: 145–14.

- Stampfer MJ, Colditz GA, Willett WC, Manson JE, Rosner B, Speizer FE, Hennekens CH. Postmenopausal estrogen therapy and cardiovascular disease. Ten-year follow-up from the Nurses' Health Study. *N Engl J Med*, 1991; 325:756–762.
- Stein CE, Fall CH, Kumaran K, Osmond C, Cox V, Barker DJ. Fetal growth and coronary heart disease in south India. *Lancet*, 1996; 348: 1269–73.
- Stoll BJ, Temprosa M, Tyson JE, Papile Lu-A, LL Wright, Bauer CR, Donovan EF, Korones SB, Lemons JA, Fanaroff AA, Stevenson DK, William Oh, Ehrenkranz RA, Shankaran S, Verter J. Dexamethasone Therapy Increases Infection in Very Low Birth Weight Infants. *Pediatrics*, 1999; 104; e63.
- Strehlow K, Rotter S, Wassmann S, Adam O, Grohe C, Laufs K, Bohm M, Nickenig G. Modulation of antioxidant enzyme expression and function by estrogen. *Circ Res*, 2003; 93: 170–177.
- Stromeyer ES, Steenkiste AR, Foley TP Jr, Berga SL and Dorman JS; Menstrual cycle differences between women with Type I diabetes and women without diabetes. *Diabetes Care*, 2003; 26: 1016-1021.
- Stumpf I, Muhlbauer E, Peschke E. Involvement of the cGMP pathway in mediating the insulin-inhibitory effect of melatonin in pancreatic beta-cells. *J Pineal Res*, 2008; 45: 318–327.
- Sudnikovich EJ, Maksimchik YZ, Zabrodskaya SV, Kubyshin VL, Lapshina EA, Bryszewska M, Reiter RJ, Zavodnik IB. Melatonin attenuates metabolic disorders due to streptozotocin-induced diabetes in rats. *Eur J Pharmacol*, 2007; 569: 180-187.

- Sun MP, Chun HP, Jun DW, Soo BC. A high carbohydrate diet induced insulin resistance through decreased glucose utilization in ovariectomized rats. *The Korean Journal of Internal Medicine*, 2004; 19: 87-92.
- Takahashi K, Inone K, Takahashi Y. No effect of pinealectomy on the parallel shift in circadian rhythms of adrenocortical activity and food intake in blinded rats. *Endocrinology*, 1976; 23:117-421.
- Takasu N, Komiya I, Asawa T, Nagasawa Y, Yamada T. Streptozotocin and alloxan induced H₂O₂ generation and DNA fragmentation n pancreatic islets. H₂O₂ as a mediator for DNA fragmentation. *Diabetes*, 1991; 40:1141-1145.
- Thakkar BP. Altered neonatal melatonin and thyroid hormone status on the functional features of the adult testis and ovary in rat. Ph.D thesis submitted to The M.S.University of Baroda. 2004.
- Tan DX, Manchester LC, Burkhardt S. N1-acetyl-N2-formyl-5-methoxykynuramine, a biogenic amine and melatonin metabolite, functions as a potent antioxidant. *FASEB J*, 2001;15 :2294-96.
- Tan DX, Manchester LC, Hardeland R, Lopez- Burillo S, Mayo JC, Sainz, RM, Reiter RJ. Melatonin: a hormone, a tissue factor, an autocoid, a paracoid, and an antioxidant vitamin. *J Pineal Res*, 2003; 34: 75–78.
- Tartaglia LA. The Leptin Receptor* *Journal of Biological Chemistry*, 272, 6093-6096.
- Taylor DJ, Thompson CH, Kemp GJ, Barnes PRJ, Sanderson. AL, Radda GK, Phillips DIW. A relationship between impaired fetal growth and reduced muscle glycolysis revealed by 31P magnetic resonance spectroscopy. *Diabetologia*, 1995; 38: 1205–12.

Tomás-Zapico C, Coto-Montes A. Melatonin as Antioxidant Under Pathological Processes. *Recent Patents on Endocrine, Metabolic & Immune Drug Discovery*, 2007; 1, 63-82.

Trevenzoli H, Valle MMR, Machado FB, Garcia RMG, Passos MCF, Lisboa PC Moura EG. Neonatal hyperleptinaemia programmes adrenal medullary function in adult rats: effects on cardiovascular parameters *J Physiol*, 2007; 580.2:629–637.

Trinder P. Glucose estimation by glucose oxidase method using phenol and 4-aminophenazone. *Ann.Clin.Biochem*, 1969; 6: 24-31.

Tuna V, Alkis I, Safiye AS, Imamoglu N, Bayram N, Ali ismet T. Variations in blood lipid profile, thrombotic system, arterial elasticity and psychosexual parameters in the cases of surgical and natural menopause. *The Australian and New Zealand journal of Obstetrics and Gynaecology*, 2010; 50: 194-199.

Turner RT, Maran A, Lotinun S, Hefferan T, Evans GL, Zhang M, Sibonga JD. Sibonga: Animal models for osteoporosis. *Rev Endocr Metab Disord*, 2001; 2: 117.

Ulas M, Cay M. The effects of 17 β -estradiol and vitamin E treatments on oxidative stress and antioxidant levels in brain cortex of diabetic ovariectomized rats *Acta Physiologica Hungarica*, 2010; 97 (2): 208–215.

Utian WH, Archer DF, Bachmann GA, Gallagher C, Grodstein F, Heiman JR, Henderson VW, Hodis HN, Karas RH, Lobo RA, Manson JE, Reid RL, Schmidt PJ, Stuenkel CA. Estrogen and progestogen use in

- postmenopausal women: July 2008 position statement of The North American Menopause Society. *Menopause*, 2008; 15: 584–602.
- Valko M, Izakovic M, Mazur M, Rhodes CJ, Telser J. Role of oxygen radicals in DNA damage and cancer incidence. *Mol Cell Biochem*, 2004; 266: 37–56.
- Valle Gil-del, Millian LC, Toledo A, Vilaro N, Tapanes R, Otero MA. Altered redox status in patients with diabetes mellitus type I. *Pharmacol Research*, 2005; 51: 375–380.
- Van Pelt RE, Gozansky WS, Schwartz RS, Kohrt WM. Intravenous estrogen increase insulin clearance and action in postmenopausal women. *Am J Physiol Endocrinol Metab*, 2003; 285: E311-E317.
- Verhaeghe J, Oloumi G, herck V, Bree RV, Dequeker J, Einhorn TA, Bouillon R. Effects of long term diabetes and/or high dose 17 β estradiol on bone formation, bone mineral density, and strength in ovariectomized animals. *Bone*, 1997; 20(5): 421-428.
- Verma Y, Rana SVS. Modulation of CYP₄₅₀ and oxidative stress by testosterone in liver and kidney of benzene treated rats. *Indian Journal of Experimental Biology*, 2008; 46:568-572.
- Vickers MH, Gluckman PD, Coveny AH, Hofman PL, Cutfield WS, Gertler A, Breier BH, Harris M. Neonatal leptin treatment reverses developmental programming. *Endocrinology*, 2005; 146: 4211–6.
- Wade GN, Gray JM, Bartness TJ. Gonadal influence in adiposity. *Int J Obes Relat Metab Disord*, 1985; 9: 83–92.

- Wakatsuki A, Okatani Y, Ikenkque N, Kaneda C, Fukaya T. Effects of short term melatonin administration on lipoprotein metabolism in normolipidemic postmenopausal women. *Maturitas*, 2001; 20:171–7.
- Walker CD, Perrin M, Vale W, Rivier C. Ontogeny of the stress response in the rat: role of the pituitary and the hypothalamus. *Endocrinology*, 1986; 118: 1445–1451
- Wang JF, Guo YX, Niu JZ, Liu J, Wang LQ, Li PH. Effects of Radix Puerariae flavones on liver lipid metabolism in ovariectomized rats. *World J Gastroenterol*, 2004; 10(13): 1967-1970
- Wassertheil-Smoller S, Hendrix SL, Limacher M, Heiss G, Kooperberg C, Baird A, Kotchen T, Curb JD, Black H, Rossouw JE, Aragaki A, Safford M, Stein E, Laowattana SZ, Feng JZ. Free Radical Biology & Medicine, 2005; 39:195– 204.
- Waterland RA, Garza C. Potential mechanisms of metabolic imprinting that lead to chronic disease. *Am J Clin Nutr*, 1999; 69:179–97.
- Waynflete HB, Flecknell PA. Ovariectomy in experimental and surgical technique. In The Rat (2nd edn). Academic Press, London 1992; 276–278.
- Wedisinghe L, Perera M. Diabetes and menopause. *Maturitas*, 2009; 63: 200–203.
- Weinhaus AJ, Bhagroo NV, Brelje TC, Sorenson RL. Dexamethasone counteracts the effect of prolactin on islet function: implications for islet regulation in late pregnancy. *Endocrinology*, 2000; 141: 1384-1393.

- Wetterberg L. The relationship between the pineal gland and the pituitary-adrenal axis in health, endocrine and psychiatric conditions. *Psychoneuroendocrinology*, 1983; 8:75-80.
- White RM, Kennaway DJ, Seemark RF. Estrogenic effects on urinary 6-sulphatoxymelatonin excretion in the female rat. *J. Pineal Res*, 1997; 22:124-129.
- Wild M, Ohmura A, Gilgen H, Rosenfeld D. On the consistency of trends in radiation and temperature records and implications for the global hydrological cycle, *Geophys. Res. Lett.* 2004;31:L11201.
- Wootton SA, Murphy JL, Wilson F, Phillips D. Energy expenditure and substrate metabolism after carbohydrate ingestion in relation to fetal growth in women born in Preston. *Proc Nutr Soc*, 1994; 53:174A (abstr).
- World Health Organization. *Diabetes Mellitus: Report of a WHO Study Group*. Technical Report Series 727. Geneva: WHO, 1985.
- Wynn V, Doar J. Some effects of oral contraceptives on carbohydrate metabolism. *Lancet*, 1966; 715-719.
- Wynne K, Stanley S, McGowan B, Bloom S. Appetite control. *Journal of Endocrinology*, 2005; 184: 291-318.
- Xu H Z, Yu B: Current status of study on animal models of osteoporosis. *Di Yi Jun Yi Da Xue Xue Bao*, 2002; 22: 47-50.
- Yalin S, Comelekoglu U, Bagis S, Sahin NO, Ogenler O: Acute effect of single-dose cadmium treatment enzymes in ovariectomized rats. *Ecotoxicology and Environmental Safety*, 2006; 65: 140-144.

- Yasui T, Maegawa M, Tomita J, Miyatani Y, Yamada M, Uemura H, Matsuzaki T, Yuzurihara M, Takeda S, Irahara M. Changes in serum cytokine concentrations during the menopausal transition. *Maturitas*, 2007; 56:396–403.
- Yeaman SJ, Armstrong JL, Bonavaud SM, Poinasamy D, Pickersgill L, and Halse R. Regulation of glycogen synthesis in human muscle cells. *Biochem. Soc. Trans.*, 2001; 29: 537-541.
- Yen SSC. Hypothalamic control of pituitary function In: Yen SSC and Jaffe eds. *Reproductive Endocrinology, Physiology, Pathophysiology and Clinical Management*, Third Edition, Saunders WB. Philadelphia. 1991 pp. 283-290.
- Yong Y, Xie HJ, Zhang YF, Yang QD, Liao DF, Yang HL, Yan PK, Liu ZJ. 17 β estradiol potentiates ischemia-reperfusion injury in diabetic ovariectomized female rats. *Brain research*, 2005; 1054: 192-199.
- Zakrzewska KE, Cusin I, Stricker-Krongrad A, Boss O, Ricquier D, Jeanrenaud B, Rohner-Jeanrenaud F. Induction of obesity and hyperleptinemia by central glucocorticoid infusion in the rat. *Diabetes*, 1999; 48: 365–370.
- Zambrano E, CJ Bautista, Deas M, Martinez-Samayoa PM, Gonzalez-Zamorano M, Ledesma H, Morales J, Larrea F, Nathanielsz PW. A low maternal protein diet during pregnancy and lactation has sex- and window of exposure-specific effects on offspring growth and food intake, glucose metabolism and serum leptin in the rat. *J. Physiol.* 2006; 571: 221-230.
- Zeeh J. The aging liver: consequences for drug treatment in old age. *Arch Gerontol Geriatr*, 2001; 32:255–263.

- Zhang H, Goa G, Brunk UT. Extracellular reduction of alloxan results in oxygen radical mediated attack on plasma and lysosomal membranes. *Acta Pathol Microbiol Immunol Scand*, 1992; 100: 317-325.
- Zimmet PZ, Tuomi T, Mackay IR, Rowley MJ, Knowles W, Cohen M, Lang DA. Latent autoimmune diabetes mellitus in adults (LADA): the role of antibodies to glutamic acid decarboxylase in diagnosis and prediction of insulin dependency. *Diabetic Med* 1994; 11: 299-303.