List of Figures

| Chapter | Figure | Title | Page |
|---------|--------|--|--------|
| | number | | number |
| 1. | 1.1 | Butea monosperma Leaf and bark | 2 |
| | 1.2 | Melia azedarach L. Plant | 3 |
| | 1.3 | Saraca asoca (Roxb.) Wild. Plant | 4 |
| | 1.4 | Solanum virginianum L. Plant | 5 |
| | 1.5 | % Yield of extract | 21 |
| | 1.6 | Total phenol estimation | 25 |
| | 1.7.1 | Total flavonoid estimation | 26 |
| | 1.7.2 | Anti-oxidant assay: The anti-oxidant properties of plant | 27 |
| | | extracts were evaluated by performing DPPH assay | |
| 2. | 2.3.1 | Anti-proliferative activity: IC ₅₀ (µg/mL) of <i>Bm</i> , <i>Sa</i> , <i>Ma</i> | 40 |
| | | and Sv plant parts' aqueous extracts on MCF-7 for the | |
| | | treatment of 24 hr,48 hr and 72 hr | |
| | 2.3.2 | Anti-proliferative activity determination: IC ₅₀ (µg/mL) | 41 |
| | | of Bm, Sa, Ma and Sv plant parts' aqueous extracts on | |
| | | MDA-MB-231 for the treatment of 24 hr,48 hr and 72 hr | |
| | 2.3.3 | Anti-proliferative activity: IC ₅₀ (µg/mL) of <i>Bm</i> , <i>Sa</i> , <i>Ma</i> | 42 |
| | | and Sv plant parts' methanolic extracts on MCF-7 for the | |
| | | treatment of 24 hr,48 hr and 72 hr | |

| | T | | |
|----------|----------|--|----|
| | 2.3.4 | Anti-proliferative activity: IC ₅₀ (µg/mL) of <i>Bm</i> , <i>Sa</i> , <i>Ma</i> | 43 |
| | | and Sv plant parts' methanolic extracts on MDA-MB- | |
| | | 231 for the treatment of 24 hr, 48 hr and 72 hr. | |
| | 2.3.5(A) | Anti-proliferative activity of Sv plant extracts on Human | 44 |
| | | breast cancer cell line MCF-7. (aqueous extract) | |
| | 2.3.5(B) | Anti-proliferative activity of Sv plant extracts on Human | |
| | | breast cancer cell line MCF-7. (methanolic extract) | |
| | 2.3.6(A) | Anti-proliferative activity of Sv plant extracts on Human | 45 |
| | | breast cancer cell line MDA-MB-231.(aqueous extract) | |
| | 2.3.6(B) | Anti-proliferative activity of Sv plant extracts on Human | |
| | | breast cancer cell line MDA-MB-231.(methanolic | |
| | | extract) | |
| | 2.3.7(A) | Cytotoxic evaluation of Sv plant extracts on HEK- | 46 |
| | | 293.(aqueous extract) | |
| | | Cytotoxic evaluation of Sv plant extracts on HEK- | |
| | | 293.(methanolic extract) | |
| 3. | 3.3.1 | HR LC-MS/MS Chromatogram of Sv leaf aqueous extract | 58 |
| | 3.3.2 | HR LC-MS/MS Chromatogram of Sv leaf methanolic | 58 |
| | | extract | |
| 4. | 4.3.1 | Images represents the interaction between Target Cyclin | 73 |
| | | D1, Cyclin-D4,CDK4 and CDK6 with ligand | |
| | | Ritterazine A. | |
| | 4.3.2 | Images represents the interaction between Target | 74 |
| | | p18,p21 and p27with ligand Ritterazine A. | |
| <u> </u> | 1 | <u> </u> | |

| | • | | |
|----|-------|---|-----|
| | 4.3.3 | Images represents the interaction between Target | 75 |
| | | Bax,Bak,Bcl-2 and Bcl-xl with ligand Ritterazine A. | |
| | 4.3.4 | Images represents the interaction between Target | 76 |
| | | caspase-3 and caspase-9 with ligand Ritterazine A. | |
| 5. | 5.1.1 | Structure of Melatonin | 83 |
| | 5.3.1 | Anti proliferative effect of melatonin has shown dose | 86 |
| | | dependent reduction in % cell viability in MCF-7 and | |
| | | MDA-MB-231 cells. | |
| | 5.3.2 | Anti-proliferative activity of melatonin in combination | 88 |
| | (A-D) | with Sv leaf extracts at IC ₅₀ (μ g/mL) combinational | |
| | | group. | |
| 6. | 6.3.1 | Cell morphology study of untreated and treated | 102 |
| | | experimental groups of MCF-7 through inverted | |
| | | microscope. | |
| | 6.3.2 | Cell morphology study of untreated and treated | 102 |
| | | experimental groups of MDA-MB-231 through inverted | |
| | | microscope. | |
| | 6.3.3 | Present images shows the cell migration in wound area | 104 |
| | | for MCF-7 cell line in different groups. | |
| | 6.3.4 | Scratched area % determined the cell migration | 104 |
| | | inhibition activity in MCF-7 cell lines. | |
| | 6.3.5 | Present images shows the cell migration in wound area | 105 |
| | | for MDA-MB-231 cell line in different groups. | |
| | | | |

| | 6.3.6 | Scratched area % determined the cell migration | 105 |
|---|--------|--|-----|
| | | inhibition activity in MDA-MB-231 cell lines. | |
| | 6.3.7 | Colony formation determination for MCF-7. | 106 |
| | 6.3.8 | Graphical representation of colony formation % in MCF- | 106 |
| | | 7. | |
| | 6.3.9 | Colony formation determination for MDA-MB-231. | 107 |
| | 6.3.10 | Graphical representation of colony formation % in | 107 |
| | | MDA-MB-231. | |
| | 6.3.11 | Agarose gel image of DNA fragmentation assay for | 108 |
| | | experimental groups of MCF-7. | |
| | 6.3.12 | Agarose gel image of DNA fragmentation assay for | 108 |
| | | experimental groups of MDA-MB-231. | |
| | 6.3.13 | Nuclear morphology observational images of MCF-7 | 109 |
| | | stained with DAPI (Magnification x400) using | |
| | | florescence microscope. | |
| | 6.3.14 | Nuclear morphology observational images of MDA-MB- | 109 |
| | | 231 cells stained with DAPI (Magnification x400) using | |
| | | florescence microscope. | |
| | 6.3.15 | Flow cytometer analysis images for MCF-7 experimental | 110 |
| | | groups. | |
| | 6.3.16 | Flow cytometer analysis images for MDA-MB-231 | 111 |
| | | experimental groups. | |
| | 6.3.17 | Graphical representation of Flow cytometer analysis of | 112 |
| | | MCF-7 experimental groups. | |
| · | | | |

| | 6.3.18 | Graphical representation of Flow cytometer analysis of | 112 |
|----|--------|--|-----|
| | | MDA-MB-231 experimental groups. | |
| 7. | 7.3.1 | Gene expression study of BAX and BCL2 of MCF-7 | 125 |
| | | experimental groups using real time PCR. | |
| | 7.3.2 | Gene expression study of CASP3, CASP8 and CASP9 of | 126 |
| | | MCF-7 experimental groups using real time PCR. | |
| | 7.3.3 | Gene expression study of MMP2 and MMP9 of MCF-7 | 127 |
| | | experimental groups using real time PCR. | |
| | 7.3.4 | Gene expression study of <i>IL4</i> and <i>IL10</i> of MCF-7 | 128 |
| | | experimental groups using real time PCR. | |
| | 7.3.5 | Gene expression study of BAX and BCL2 of MDA-MB- | 132 |
| | | 231 experimental groups using real time PCR. | |
| | 7.3.6 | Gene expression study of CASP3, CASP8 and CASP9 of | 133 |
| | | MDA-MB-231 experimental groups using real time | |
| | | PCR. | |
| | 7.3.7 | Gene expression study of MMP2 and MMP9 of MCF-7 | 134 |
| | | experimental groups using real time PCR. | |
| | 7.3.8 | Gene expression study of <i>IL4</i> and <i>IL10</i> of MCF-7 | 135 |
| | | experimental groups using real time PCR. | |
| | 7.3.9 | PPI network analysis using Cytoscape 10.1 software. | 185 |
| | 7.3.10 | Identification of hub genes from PPI network using | 186 |
| | | Cytoscape plugins Cytohubba. | |