
References

- Aki, S. N. V. K., Brennecke, J. F., & Samanta, A. (2001). How polar are room-temperature ionic liquids? *Chemical Communications*, 5, 413–414. DOI: 10.1039/B008039J
- Al-Ghouti, M. A., Hawari, A., & Khraisheh, M. (2013). A solid-phase extractant based on microemulsion modified date pits for toxic pollutants. *Journal of Environmental Management*, 130, 80–89. DOI: 10.1016/j.jenvman.2013.08.045
- Alder, C. M., Hayler, J. D., Henderson, R. K., Redman, A. M., Shukla, L., Shuster, L. E., & Sneddon, H. F. (2016). Updating and further expanding GSK's solvent sustainability guide. *Green Chemistry*, 18(13), 3879–3890. DOI: 10.1039/C6GC00611F
- Ali, M. K., Moshikur, R. M., Wakabayashi, R., Moniruzzaman, M., Kamiya, N., & Goto, M. (2020). Biocompatible Ionic Liquid Surfactant-Based Microemulsion as a Potential Carrier for Sparingly Soluble Drugs. *ACS Sustainable Chemistry & Engineering*, 8(16), 6263–6272. DOI: 10.1021/acssuschemeng.9b07773
- Anastas, P. T., & Kirchhoff, M. M. (2002). Origins, current status, and future challenges of green chemistry. *Accounts of Chemical Research*, 35(9), 686–694. DOI: 10.1021/ar010065m
- Anderson, J. L., Ding, J., Welton, T., & Armstrong, D. W. (2002). Characterizing ionic liquids on the basis of multiple solvation interactions. *Journal of the American Chemical Society*, 124(47), 14247–14254. DOI: 10.1021/ja028156h
- Anderson, J. L., Pino, V., Hagberg, E. C., Sheares, V. V., & Armstrong, D. W. (2003). Surfactant solvation effects and micelle formation in ionic liquids. *Chemical Communications*, 19, 2444–2445. DOI: 10.1039/B307516H
- Anjum, N., Guedeau-Boudeville, M. A., Stubenrauch, C., & Mouchid, A. (2009). Phase behaviour and microstructure of microemulsions containing the hydrophobic ionic liquid 1-butyl-3-methylimidazolium hexafluorophosphate. *The Journal of Physical Chemistry B*, 113(1), 239–244. DOI: 10.1021/jp808643s
- Arain, S. A., Kazi, T. G., Afridi, H. I., Arain, M. S., Pahnwar, A. H., Khan, N., Baig, J. A., & Shah, F. (2016). A new dispersive liquid-liquid microextraction using ionic liquid based microemulsion coupled with cloud point extraction for determination of copper in serum and water samples. *Ecotoxicology and Environmental Safety*, 126, 186–192. DOI: 10.1016/j.ecoenv.2015.12.035
- Araos, M. U., & Warr, G. G. (2005). Self-assembly of nonionic surfactants into lyotropic liquid crystals in ethylammonium nitrate, a room-temperature ionic liquid. *Journal of Physical Chemistry B*, 109(30), 14275–14277. DOI: 10.1021/jp052862y
- Araos, M. U., & Warr, G. G. (2008). Structure of nonionic surfactant micelles in the ionic liquid ethylammonium nitrate. *Langmuir*, 24(17), 9354–9360. DOI: 10.1021/la801603t
- Atkin, R., & Warr, G. G. (2007a). Phase behaviour and microstructure of microemulsions with a room-temperature ionic liquid as the polar phase. *The Journal of Physical Chemistry B*, 111(31), 9309–9316. DOI: 10.1021/jp065020n

- Atkin, R., & Warr, G. G. (2007b). Structure in confined room-temperature ionic liquids. *The Journal of Physical Chemistry C*, 111(13), 5162–5168. DOI: 10.1021/jp067420g
- Aveyard, R., Binks, B. P., Fletcher, P. D. I., & Ye, X. (1992). Solubilisation of water in alkanes using nonionic surfactants. *Journal of Chemical Technology & Biotechnology*, 54(3), 231–236. DOI: 10.1002/jctb.280540305
- Bagha, T. A. R., & Holmberg, K. (2013). Solubilization of hydrophobic dyes in surfactant solutions. *Materials*, 6(2), 580–608. DOI: 10.3390/ma6020580
- Balzer, D. (1991). Alkylpolyglucoside- physikochemische Eigenschaften and Anwendung/Alkylpolyglucosides, their Physico-chemical Properties and their Uses. *Tenside Surfactants Detergents*, 28(6), 419–427. DOI: 10.1515/tsd-1991-280610
- Behera, K., Malek, N. I., & Pandey, S. (2009). Visual evidence for formation of water-in-ionic liquid microemulsions. *ChemPhysChem*, 10(18), 3204–3208. DOI: 10.1002/cphc.200900669
- Belloq, A. M., Biais, J., Bothorel, P., Clin, B., Fourche, G., Lalanne, P., Lemaire, B., Lemanceau, B., & Roux, D. (1984). Microemulsions. *Advances in Colloid and Interface Science*, 20(3–4), 167–272. DOI: 10.1016/0001-8686(84)80005-6
- Beltrame, L. T. C., Dantas, T. N. C., Neto, A. A. D., Neto, E. L. B., & Lima, F. F. S. (2005). Influence of cosurfactant in microemulsion systems for color removal from textile wastewater. *Journal of Chemical Technology & Biotechnology*: 80(1), 92–98. DOI: 10.1002/jctb.1162
- Bilgili, H., Bürger, M., Stubenrauch, C., & Porada, J. H. (2016). About the nanostructure of the ternary system water--[Bmim] [PF₆]-TX-100. *Journal of Colloid and Interface Science*, 484, 237–248. DOI: 10.1016/j.jcis.2016.08.083
- Birdi, K. S. (2008). *Handbook of surface and colloid chemistry*. CRC Press. DOI: 10.1201/9781420007206
- Blanchard, L. A., Hancu, D., Beckman, E. J., & Brennecke, J. F. (1999). Green processing using ionic liquids and CO₂. *Nature*, 399(6731), 28–29.
- Bonkhoff, K., Schwuger, M. J., & Subklew, G. (1997). Use of microemulsions for the extraction of contaminated solids. *Surfactant Science Series*, 66, 355–374.
- Boon, J. A., Levisky, J. A., Pflug, J. L., & Wilkes, J. S. (1986). Friedel-Crafts reactions in ambient-temperature molten salts. *The Journal of Organic Chemistry*, 51(4), 480–483. DOI: 10.1021/jo00354a013
- Borkovec, M., Eicke, H. F., Hammerich, H., & Gupta, B. D. (1988). Two percolation processes in microemulsions. *The Journal of Physical Chemistry*, 92(1), 206–211. DOI: 10.1021/j100312a045
- Bräutigam, S., Meyer, S. B., & Botz, D. W. (2007). Asymmetric whole cell biotransformations in biphasic ionic liquid/water-systems by use of recombinant Escherichia coli with intracellular cofactor regeneration. *Tetrahedron: Asymmetry*, 18(16), 1883–1887. DOI: 10.1016/j.tetasy.2007.08.003
- Brown, P., Butts, C. P., Eastoe, J., Fermin, D., Grillo, I., Lee, H. C., Parker, D., Plana, D., & Richardson, R. M. (2012). Anionic surfactant ionic liquids with 1-butyl-3-methyl-imidazolium cations: characterization and

- application. *Langmuir*, 28(5), 2502–2509. DOI: 10.1021/la204557t
- Burauer, S., Belkoura, L., Stubenrauch, C., Strey, R. (2003). Bicontinuous microemulsions revisited: a new approach to freeze fracture electron microscopy (FFEM). *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 228 (1–3), 159–170. DOI: 10.1016/S0927-7757(03)00357-1
- Cadar, D., Olteanu, N. L., Petcu, A. R., Meghea, A., & Mihaly, M. (2017). Efficient Recovery of Metals from Aqueous Media by Two Phase Microemulsion System. *U.P.B. Sci. Bull.*, 79 (2).
- Carlfors, J., Blute, I., & Schmidt, V. (1991). Lidocaine in microemulsion—a dermal delivery system. *Journal of Dispersion Science and Technology*, 12(5–6), 467–482. DOI: 10.1080/01932699108913146
- Carlsson, I., Fogden, A., & Wennerström, H. (1999). Electrostatic interactions in ionic microemulsions. *Langmuir*, 15(19), 6150–6155. DOI: 10.1021/la971333l
- Chen, K., & Zhao, K. (2014). Dielectric analysis of the [Bmim][PF₆]/TX-100/ethyleneglycol nonaqueous microemulsions: Microstructures and percolation. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 461, 50–56. DOI: 10.1016/j.colsurfa.2014.07.022
- Chen, S. J., Evans, D. F., Ninham, B. W., Mitchell, D. J., Blum, F. D., & Pickup, S. (1986). Curvature as a determinant of microstructure and microemulsions. *The Journal of Physical Chemistry*, 90(5), 842–847. DOI: 10.1021/j100277a027
- Chen, V., Warr, G. G., Evans, D. F., & Prendergast, F. G. (1988). Curvature and geometric constraints as determinants of microemulsion structure: Evidence from fluorescence anisotropy measurements. *The Journal of Physical Chemistry*, 92(3), 768–773. DOI: 10.1021/j100314a036
- Cheng, S., Fu, X., Liu, J., Zhang, J., Zhang, Z., Wei, Y., & Han, B. (2007). Study of ethylene glycol/TX-100/ionic liquid microemulsions. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 302(1–3), 211–215. DOI: 10.1016/j.colsurfa.2007.02.024
- Cheng, S., Zhang, J., Zhang, Z., & Han, B. (2007). Novel microemulsions: ionic liquid-in-ionic liquid. *Chemical Communications*, 24, 2497–2499. DOI: 10.1039/B704160H
- Danielsson, I., & Lindman, B. (1981). The definition of microemulsion. *Colloids and Surfaces*, 3 (2). DOI: 10.1016/0166-6622(81)80064-9
- Dantas, T. N. C., Beltrame, L. T. C., Neto, A. A. D., & Moura, M. C. P. A. (2004). Use of microemulsions for removal of color and dyes from textile wastewater. *Journal of Chemical Technology & Biotechnology*, 79(6), 645–650. DOI: 10.1002/jctb.1034
- Dantas, T. N. C., Escoula, B., Rico, I., & Lattes, A. (1984). effect of a double bond on the micellization of unsaturated amines. *Nouveau journal de chimie*, 8 (8–9), 499–500.
- Dantas, T. N. D. C., Neto, A. A. D., & Moura, M. C. P. D. A. (2001). Removal of chromium from aqueous solutions by diatomite treated with microemulsion. *Water Research*, 35(9), 2219–2224. DOI: 10.1016/S0043-1354(00)00507-8

- Dantas, T. N. C., Neto, A. A. D., Moura, M. C. P. A., Neto, E. L. B., Forte, K. R., & Leite, R. H. L. (2003). Heavy metals extraction by microemulsions. *Water Research*, 37(11), 2709-2717. DOI: 10.1016/S0043-1354(03)00072-1
- Dantas, T. N. C., Neto, A. V. D., Rossi, C. G. F. T., Gome D, A. A., & Gurgel, A. (2010). Use of microemulsion systems in the solubilization of petroleum heavy fractions for the prevention of oil sludge waste formation. *Energy Fuels*, 24 (4), 2312-2319. DOI: 10.1021/ef900952y
- Dil, E. A., Ghaedi, M., & Asfaram, A. (2017). The performance of nanorods material as adsorbent for removal of azo dyes and heavy metal ions: application of ultrasound wave, optimization and modeling. *Ultrasonics Sonochemistry*, 34, 792–802. DOI: 10.1016/j.ultsonch.2016.07.015
- Dogra, A., & Rakshit, A. K. (2004). Phase behaviour and percolation studies on microemulsion system water/SDS+ Myrj45/cyclohexane in the presence of various alcohols as cosurfactants. *The Journal of Physical Chemistry B*, 108(28), 10053–10061. DOI: 10.1021/jp049928u
- Dubois, M., & Zemb, T. (2000). Swelling limits for bilayer microstructures: the implosion of lamellar structure versus disordered lamellae. *Current Opinion in Colloid & Interface Science*, 5(1–2), 27–37. DOI: 10.1016/S1359-0294(00)00032-7
- Dupont, J. (2011). From molten salts to ionic liquids: A "nano"journey. *Accounts of Chemical Research*, 44(11), 1223–1231. DOI: 10.1021/ar2000937
- Dutta, R., Kundu, S., & Sarkar, N. (2018). Ionic liquid-induced aggregate formation and their applications. *Biophysical Reviews*, 10 (3), 861–871. DOI: 10.1007/s12551-018-0408-5
- Earle, M. J., & Seddon, K. R. (2002). *Ionic liquids: Green solvents for the future*. DOI: 10.1021/bk-2002-0819.ch002
- Earle, M. J., Seddon, K. R. (2000). Ionic liquids. Green solvents for the future. *Pure and Applied Chemistry*, 72 (7), 1391–1398. DOI: 10.1351/pac200072071391
- Eastoe, J., & Warne, B. (1996). Nanoparticle and polymer synthesis in microemulsions. *Current Opinion in Colloid & Interface Science*, 1(6), 800–805. DOI: 10.1016/S1359-0294(96)80084-7
- Eicke, H. F., & Markovic, Z. (1981). Temperature-dependent coalescence in water-oil microemulsions and phase transitions to lyotropic mesophases. *Journal of Colloid and Interface Science*, 79(1), 151–158. DOI: 10.1016/0021-9797(81)90058-8
- Ekwall, P. (1975). Composition, properties and structures of liquid crystalline phases in systems of amphiphilic compounds. *Advances in liquid crystals*, 1, 1–142. DOI: 10.1016/B978-0-12-025001-1.50007
- Evans, D. F., Chen, S. H., Schriver, G. W., & Arnett, E. M. (1981). Thermodynamics of solution of nonpolar gases in a fused salt. Hydrophobic bonding behaviour in a nonaqueous system. *Journal of the American Chemical Society*, 103 (2), 481–482. DOI: 10.1021/ja00392a049
- Evans, D. F., Yamauchi, A., Roman, R., & Casassa, E. Z. (1982). Micelle formation in ethylammonium nitrate, a low-melting fused salt. *Journal of Colloid and Interface Science*, 88 (1), 89–96. DOI: 10.1016/0021-

9797(82)90157-6

- Evans, D. F., Yamauchi, A., Wei, G. J., & Bloomfield, V. A. (1983). Micelle size in ethylammonium nitrate as determined by classical and quasi-elastic light scattering. *The Journal of Physical Chemistry*, 87 (18), 3537–3541. DOI: 10.1021/j100241a035
- Fang, D., Zhou, X. L., Ye, Z. W., & Liu, Z. L. (2006). Brønsted acidic ionic liquids and their use as dual solvent-catalysts for Fischer esterifications. *Industrial & Engineering Chemistry Research*, 45 (24), 7982–7984. DOI: 10.1021/ie060365d
- Fanun, M. (2008). *Microemulsions: properties and applications* (Vol. 144). CRC press.
- Fletcher, K. A., & Pandey, S. (2004). Surfactant aggregation within room-temperature ionic liquid 1-ethyl-3-methylimidazolium bis (trifluoromethylsulfonyl) imide. *Langmuir*, 20(1), 33–36. DOI: 10.1021/la035596t
- Fontell, K., Ceglie, A., Lindman, B., Ninham, B. (1986). Some observations on phase diagrams and structure in binary and ternary systems of didodecyldimethylammonium bromide. *Acta Chem. Scand. A*, 40, 247–256.
- Freemantle, M. (1998). Designer solvents-Ionic liquids may boost clean technology development. *Chemical & Engineering News*, 76 (13), 32–37. DOI: 10.1021/cen-v076n013.p032
- Friberg, E., Podzimek, M. (1984). A non-aqueous microemulsion. *Colloid & Polymer Science*, 262(3), 252–253. DOI: 10.1007/BF01458969
- Friberg, S E, & Liang, Y. C. (1987). Phase equilibria in the glycerol-aerosol OT system with decanol or hydrocarbon. *Surfactant Science Series*, 24, 103–113.
- Friberg, Stig E, Young, T., Barni, E., & Croucher, M. (1992). Solubilization of organic dyes in microemulsions. *Journal of Dispersion Science and Technology*, 13(6), 611–626. DOI: 10.1080/01932699208943342
- Fujita, K., MacFarlane, D. R., & Forsyth, M. (2005). Protein Solubilizing and Stabilizing Ionic Liquids. *Chem. Commun.*, (38), 4804–4806. DOI: 10.1039/B508238B
- Gao, H., Li, J., Han, B., Chen, W., Zhang, J., Zhang, R., & Yan, D. (2004). Microemulsions with ionic liquid polar domains. *Physical Chemistry Chemical Physics*, 6(11), 2914–2916. DOI: 10.1039/B402977A
- Gao, Y., Li, N., Zheng, L., Zhao, X., Zhang, J., Cao, Q., Zhao, M., Li, Z., & Zhang, G. (2007). The effect of water on the microstructure of 1-butyl-3-methylimidazolium tetrafluoroborate/TX-100/benzene ionic liquid microemulsions. *Chemistry - A European Journal*, 13(9), 2661–2670. DOI: 10.1002/chem.200600939
- Gao, Yanan, Han, S., Han, B., Li, G., Shen, D., Li, Z., Du, J., Hou, W., & Zhang, G. (2005). TX-100/water/1-butyl-3-methylimidazolium hexafluorophosphate microemulsions. *Langmuir*, 21(13), 5681–5684. DOI: 10.1021/la0500880
- Gao, Y., Li, N., Zhang, S., Zheng, L., Li, X., Dong, B., & Yu, L. (2009). Organic solvents induce the formation of oil-in-ionic liquid microemulsion aggregations. *The Journal of Physical Chemistry B*, 113(5), 1389–1395. DOI: 10.1021/jp808522b

- Garlitz, J. A., Summers, C. A., Flowers, R. A., & Borgstahl, G. E. O. (1999). Ethylammonium nitrate: a protein crystallization reagent. *Acta Crystallographica Section D: Biological Crystallography*, 55(12), 2037–2038. DOI: 10.1107/S0907444999011774
- Garti, N. (2003). Microemulsions as microreactors for food applications. *Current Opinion in Colloid & Interface Science*, 8 (2), 197–211. DOI: 10.1016/S1359-0294(03)00022-0
- Ghosh, S., Banerjee, C., Mandal, S., Rao, V. G., & Sarkar, N. (2013). Effect of Alkyl Chain of Room Temperature Ionic Liquid (RTILs) on the Phase Behaviour of [C₂mim][C_n SO₄]/TX-100/Cyclohexane Microemulsions: Solvent and Rotational Relaxation Study. *The Journal of Physical Chemistry B*, 117(19), 5886–5897. DOI: 10.1021/jp400013r
- Greaves, T. L., & Drummond, C. J. (2008). Ionic liquids as amphiphile self-assembly media. *Chemical Society Reviews*, 37(8), 1709–1726. DOI: 10.1039/B801395K
- Greaves, T. L., Weerawardena, A., Krodkiewska, I., & Drummond, C. J. (2008). Protic ionic liquids: physicochemical properties and behaviour as amphiphile self-assembly solvents. *The Journal of Physical Chemistry B*, 112(3), 896–905. DOI: 10.1021/jp0767819
- Guo, Y., Li, H. Y., Yuan, Y. H., Huang, J., Diao, J., & Xie, B. (2020). Microemulsion extraction: An efficient way for simultaneous detoxification and resource recovery of hazardous wastewater containing V (V) and Cr (VI). *Journal of Hazardous Materials*, 386, 121948. DOI: 10.1016/j.jhazmat.2019.121948
- Hallett, J. P., & Welton, T. (2011). Room-temperature ionic liquids: solvents for synthesis and catalysis. 2. *Chemical Reviews*, 111(5), 3508–3576. DOI: 10.1021/cr1003248
- Hao, J., & Zemb, T. (2007). Self-assembled structures and chemical reactions in room-temperature ionic liquids. *Current Opinion in Colloid & Interface Science*, 12(3), 129–137. DOI: 10.1016/j.cocis.2006.11.004
- Haumann, M., & Riisager, A. (2008). Hydroformylation in room temperature ionic liquids (RTILs): catalyst and process developments. *Chemical Reviews*, 108(4), 1474–1497. DOI: 10.1021/cr078374z
- Hejazifar, M., Lanaridi, O., & Schröder, K. B. (2020). Ionic liquid based microemulsions: A review. *Journal of Molecular Liquids*, 303, 112264. DOI: 10.1016/j.molliq.2019.112264
- Hellweg, T. (2002). Phase structures of microemulsions. *Current Opinion in Colloid and Interface Science*, 7(1–2), 50–56. DOI: 10.1016/S1359-0294(02)00004-3
- Hill, K., Rybinski, W. V., & Stoll, G. (2008). *Alkyl polyglycosides*. Wiley Online Library. DOI: 10.1002/(SICI)1521-3773(19980605)37
- Hoar, T. P., & Schulman, J. H. (1943). Transparent water-in-oil dispersions: the oleopathic hydro-micelle. *Nature*, 152 (3847), 102–103. DOI: 10.1038/152102a0
- Holbrey, J. D., & Seddon, K. R. (1999). Ionic liquids. *Clean Products and Processes*, 1 (4), 223–236. DOI: 10.1007/s100980050036

- Holmberg, K. (1994). Organic and bioorganic reactions in microemulsions. *Advances in Colloid and Interface Science*, 51, 137–174. DOI: 10.1016/0001-8686(94)80035-9
- Hosseinzadeh, R., Maleki, R., Matin, A. A., & Nikkhahi, Y. (2008). Spectrophotometric study of anionic azo-dye light yellow (X₆G) interaction with surfactants and its micellar solubilization in cationic surfactant micelles. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 69(4), 1183–1187. DOI: 10.1016/j.saa.2007.06.022
- Hough, W. L., Smiglak, M., Rodriguez, H., Swatloski, R. P., Spear, S. K., Daly, D. T., Pernak, J., Grisel, J. E., Carliss, R. D., Soutullo, M. D., Davis Jr, J. H., & Rogers, R. D. (2007). The third evolution of ionic liquids: active pharmaceutical ingredients. *New Journal of Chemistry*, 31(8), 1429–1436. DOI: 10.1039/B706677P
- Hurley, F. H., & Wier Jr, T. P. (1951). The electrodeposition of aluminum from nonaqueous solutions at room temperature. *Journal of the Electrochemical Society*, 98(5), 207. DOI: 10.1149/1.2778133
- Iglauer, S., Wu, Y., Shuler, P., Tang, Y., & Goddard, W. A. (2009). Alkyl polyglycoside surfactant-alcohol cosolvent formulations for improved oil recovery. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 339(1–3), 48–59. DOI: 10.1016/j.colsurfa.2009.01.015
- Islam, M., Chowdhury, M., Wakabayashi, R., Kamiya, N., Moniruzzaman, M., Goto, M. (2020). Ionic Liquid-In-Oil Microemulsions Prepared with Biocompatible Choline Carboxylic Acids for Improving the Transdermal Delivery of a Sparingly Soluble Drug. *Pharmaceutics*, 12(4), 392. DOI: 10.3390/pharmaceutics12040392
- Jeirani, Z., Jan, B. M., Ali, B. S., Noor, I. M., See, C. H., & Saphanuchart, W. (2013). Prediction of water and oil percolation thresholds of a microemulsion by modeling of dynamic viscosity using response surface methodology. *Journal of Industrial and Engineering Chemistry*, 19(2), 554–560. DOI: 10.1016/j.jiec.2012.09.027
- Kahlweit, M., & Strey, R. (1985). The Phase Behaviour of H₂O-Oil-Nonionic Amphiphile (microemulsions). *Angewandte Chemie International Edition*, 24 (8), 654-668. DOI: 10.1002/anie.198506541
- Kahlweit, M., Strey, R., & Firman, P. (1986). Search for tricritical points in ternary systems: water-oil-nonionic amphiphile. *The Journal of Physical Chemistry*, 90(4), 671–677. DOI: 10.1021/j100276a038
- Kahlweit, M., Strey, R., Firman, P., & Haase, D. (1985). Phase behaviour of ternary systems: water-oil-nonionic surfactant as a near-tricritical phenomenon. *The Journal of Physical Chemistry*, 90(4), 281–288. DOI: 10.1021/la00063a004
- Kahlweit, M., Strey, R., Firman, P., Haase, D., Jen, J., & Schomäcker, R. (1988). General patterns of the phase behaviour of mixtures of water, nonpolar solvents, amphiphiles, and electrolytes. 1. *Langmuir*, 4(3), 499–511. DOI: 10.1021/la00081a002
- Kahlweit, M., Strey, R., & Haase, D. (1985). Phase behaviour of multicomponent systems water-oil-amphiphile-electrolyte. 3. *The Journal of Physical Chemistry*, 89 (1), 163–171. DOI: 10.1021/j100247a034
- Kahlweit, M., Strey, R., Haase, D., & Firman, P. (1988). Properties of the three-phase bodies in water-oil-nonionic amphiphile mixtures. *Langmuir*, 4(4), 785–790. DOI: 10.1021/la00082a001

- Kahlweit, M., Strey, R., Haase, D., Kunieda, H., Schmeling, T., Faulhaber, B., Borkovec, M., Eicke, H. F., Busse, G., Eggers, F., Funck, T., Richmann, H., Magid, L., Soderman, O., Stilbs, P., Winkler, J., Dittrich, A., Jahn, W. (1987). How to study microemulsions. *Journal of Colloid and Interface Science*, 118(2), 436–453. DOI: 10.1016/0021-9797(87)90480-2
- Kahlweit, M., Strey, R., Schomäcker, R., & Haase, D. (1989). General patterns of the phase behaviour of mixtures of water, nonpolar solvents, amphiphiles, and electrolytes. 2. *Langmuir*, 5(2), 305–315. DOI: 10.1021/la00086a002
- Kahlweit, M. (1988). Microemulsions. *Science*, 240(4852), 617–621. DOI: 10.1126/science.240.4852.617
- Kahlweit, Manfred, Strey, R., & Busse, G. (1993). Weakly to strongly structured mixtures. *Physical Review E*, 47(6), 4197. DOI: 10.1103/PhysRevE.47.4197
- Kara, D., Fisher, A., & Hill, S. (2015). Extraction of trace elements by ultrasound-assisted emulsification from edible oils producing detergentless microemulsions. *Food Chemistry*, 188, 143–148. DOI: 10.1016/j.foodchem.2015.04.057
- Karlström, G. (1985). A new model for upper and lower critical solution temperatures in poly (ethylene oxide) solutions. *The Journal of Physical Chemistry*, 89(23), 4962–4964. DOI: 10.1021/j100269a015
- Kemken, J., Ziegler, A., & Müller, B. W. (1991). Investigations into the pharmacodynamic effects of dermally administered microemulsions containing β -blockers. *Journal of Pharmacy and Pharmacology*, 43(10), 679–684. DOI: 10.1111/j.2042-7158.1991.tb03457.x
- Khan, A., Lindman, B., & Shinoda, K. (1989). Some observations on phase diagrams and structure in binary and ternary systems of sodium and calcium dodecyl (monoxyethylene) sulfate. *Journal of Colloid and Interface Science*, 128(2), 396–406. DOI: 10.1016/0021-9797(89)90354-8
- Kogan, A., & Garti, N. (2006). Microemulsions as transdermal drug delivery vehicles. *Advances in Colloid and Interface Science*, 123, 369–385. DOI: 10.1016/j.cis.2006.05.014
- Kronberg, B., & Lindman, B. (2003). *Surfactants and polymers in aqueous solution*. John Wiley & Sons Ltd., Chichester.
- Kusano, T., Fujii, K., Hashimoto, K., & Shibayama, M. (2014). Water-in-ionic liquid microemulsion formation in solvent mixture of aprotic and protic imidazolium-based ionic liquids. *Langmuir*, 30(40), 11890–11896. DOI: 10.1021/la502856k
- Langevin, D., (1988). Microemulsions. *Accounts of Chemical Research*, 21 (7), 255-260. DOI: 10.1021/ar00151a001
- Leaver, M. S., Olsson, U., Wennerström, H., Strey, R., & Würz, U. (1995). Phase behaviour and structure in a non-ionic surfactant -oil-water mixture. *Journal of the Chemical Society, Faraday Transactions*, 91(23), 4269–4274. DOI: 10.1039/FT9959104269
- Li, E., Zeng, X., & Fan, Y. (2009). Removal of chromium ion (III) from aqueous solution by manganese oxide and microemulsion modified diatomite. *Desalination*, 238(1–3), 158–165. DOI: 10.1016/j.desal.2007.11.062

- Li, G., Chen, L., Ruan, Y., Guo, Q., Liao, X., & Zhang, B. (2019). Alkyl polyglycoside: A green and efficient surfactant for enhancing heavy oil recovery at high-temperature and high-salinity condition. *Journal of Petroleum Exploration and Production Technology*, 9(4), 2671–2680. DOI: 10.1007/s13202-019-0658-1
- Li, J., Zhang, J., Gao, H., Han, B., & Gao, L. (2005). Nonaqueous microemulsion-containing ionic liquid [bmim][PF₆] as polar microenvironment. *Colloid and Polymer Science*, 283(12), 1371–1375. DOI: 10.1007/s00396-005-1330-5
- Li, N., Gao, Y., Zheng, L., Zhang, J., Yu, L., & Li, X. (2007). Studies on the micropolarities of bmimBF₄/TX-100/Toluene ionic liquid microemulsions and their behaviours characterized by UV-Visible spectroscopy. *Langmuir*, 23(3), 1091–1097. DOI: 10.1021/la062480z
- Liu, L., Bauduin, P., Zemb, T., Eastoe, J., & Hao, J. (2009). Ionic liquid tunes microemulsion curvature. *Langmuir*, 25(4), 2055–2059. DOI: 10.1021/la062480z
- Lü, H., An, X., & Shen, W. (2008). Critical behaviour of a microemulsion with an ionic liquid. *Journal of Chemical & Engineering Data*, 53(3), 727–731. DOI: 10.1021/jc700559c
- Lu, W., Lu, Y., Liu, F., Shang, K., Wang, W., & Yang, Y. (2011). Extraction of gold (III) from hydrochloric acid solutions by CTAB/n-heptane/iso-amyl alcohol/Na₂SO₃ microemulsion. *Journal of Hazardous Materials*, 186(2–3), 2166–2170. DOI: 10.1016/j.jhazmat.2010.12.059
- Luk, Y. Y., & Abbott, N. L. (2002). Applications of functional surfactants. *Current Opinion in Colloid & Interface Science*, 7(5–6), 267–275. DOI: 10.1016/S1359-0294(02)00067-5
- Malik, M. A., Wani, M. Y., & Hashim, M. A. (2012). Microemulsion method: A novel route to synthesize organic and inorganic nanomaterials: 1st Nano Update. *Arabian Journal of Chemistry*, 5(4), 397–417. DOI: 10.1016/j.arabjc.2010.09.027
- Malmsten, M., (2018). Microemulsions in pharmaceuticals. *Handbook of Microemulsion Science and Technology*, CRC Press. DOI: 10.1201/9780203752739-25
- Mandal, S., Ghosh, S., Banerjee, C., Kuchlyan, J., Banik, D., & Sarkar, N. (2013). A novel ionic liquid-in-oil microemulsion composed of biologically acceptable components: an excitation wavelength dependent fluorescence resonance energy transfer study. *The Journal of Physical Chemistry B*, 117(11), 3221–3231. DOI: 10.1021/jp4009515
- Marsh, K. N., Boxall, J. A., & Lichtenthaler, R. (2004). Room temperature ionic liquids and their mixtures—a review. *Fluid Phase Equilibria*, 219(1), 93–98. DOI: 10.1016/j.fluid.2004.02.003
- Marsh, K. N., Deev, A., Wu, A. C. T., Tran, E., & Klamt, A. (2002). Room temperature ionic liquids as replacements for conventional solvents-A review. *Korean Journal of Chemical Engineering*, 19(3), 357–362. DOI: 10.1007/BF02697140
- Martins, M. A. P., Frizzo, C. P., Moreira, D. N., Zanatta, N., & Bonacorso, H. G. (2008). Ionic liquids in heterocyclic synthesis. *Chemical Reviews*, 108(6), 2015–2050. DOI: 10.1021/cr078399y
- Mehta, S. K., & Kaur, K. (2010). *Ionic liquid microemulsions and their technological applications*.

- Messinger, H., Aulmann, W., Kleber, M., & Koehl, W. (2007). Investigations on the effects of alkyl polyglucosides on development and fertility. *Food and Chemical Toxicology*, 45(8), 1375–1382. DOI: 10.1016/j.fct.2007.01.018
- Mihaly, M., Comanescu, A. F., Rogozea, E. A., & Meghea, A. (2010). Nonionic microemulsion extraction of Ni (II) from wastewater. *Molecular Crystals and Liquid Crystals*, 523(1). DOI: 10.1080/15421401003719837
- Mitchell, D. J., & Ninham, B. W. (1981). Micelles, vesicles and microemulsions. *Journal of the Chemical Society, Faraday Transactions 2: Molecular and Chemical Physics*, 77(4), 601–629. DOI: 10.1039/F29817700601
- Mori, Y., Okastu, Y., & Tsujimoto, Y. (2001). Titanium dioxide nanoparticles produced in water-in-oil emulsion. *Journal of Nanoparticle Research*, 3, 219–225. DOI: 10.1023/A:1017920823963
- Mukherjee, R., Bhunia, P., & De, S. (2016). Impact of graphene oxide on removal of heavy metals using mixed matrix membrane. *Chemical Engineering Journal*, 292, 284–297. DOI: 10.1016/j.cej.2016.02.015
- Naouli, N., Rosano, H. L., & Kanouni, M. (2011). A model of microemulsion formation and percolation: experimental validation. *Journal of Dispersion Science and Technology*, 32(3), 359–364. DOI: 10.1080/01932691003662365
- Nazar, M. F., Shah, S. S., Khosa, M. A. (2011). Microemulsions in Enhanced Oil Recovery: A Review. *Petroleum Science and Technology*, 29 (13), 1353-1365. DOI: 10.1080/10916460903502514
- Newington, I., Perez-Arlandis, J. M., & Welton, T. (2007). Ionic liquids as designer solvents for nucleophilic aromatic substitutions. *Organic Letters*, 9(25), 5247–5250. DOI: 10.1021/ol702435f
- Niga, P., Wakeham, D., Nelson, A., Warr, G. G., Rutland, M., & Atkin, R. (2010). Structure of the ethylammonium nitrate surface: An X-ray reflectivity and vibrational sum frequency spectroscopy study. *Langmuir*, 26(11), 8282–8288. DOI: 10.1021/la904697g
- Nir, I., Aserin, A., Libster, D., & Garti, N. (2010). Solubilization of a Dendrimer into a Microemulsion. *The Journal of Physical Chemistry B*, 114(50), 16723–16730. DOI: 10.1021/jp108040y
- Noritomi, H., Ishida, Y., da Yama, T., Saito, H., & Kato, S. (2013). Formation and Solubilization Property of Water-in-Oil Microemulsions of Alkyl Glucosides. *Advances in Nanoparticles*, 2(04), 366-371. DOI: 10.4236/anp.2013.24050
- Olsson, U., & Wennerström, H. (1994). Globular and bicontinuous phases of nonionic surfactant films. *Advances in Colloid and Interface Science*, 49, 113–146. DOI: 10.1016/0001-8686(94)80014-6
- Pârvulescu, V. I., & Hardacre, C. (2007). Catalysis in ionic liquids. *Chemical Reviews*, 107(6), 2615–2665. DOI: 10.1021/cr050948h
- Patrascu, C., Gauffre, F., Nallet, F., Bordes, R., Oberdisse, J., de Lauth-Viguerie, N., & Mingotaud, C. (2006). Micelles in ionic liquids: aggregation behaviour of alkyl poly (ethyleneglycol)-ethers in 1-butyl-3-methylimidazolium type ionic liquids. *ChemPhysChem*, 7(1), 99–101. DOI: 10.1002/cphc.200500419
- Paul, Bidyut K, & Moulik, S. P. (2001). Uses and applications of microemulsions. *Current Science*, 990–1001.
- Paul, Bidyut Kumar, & Moulik, S. P. (1997). Microemulsions: an overview. *Journal of Dispersion Science and*

- Technology*, 18(4), 301–367. DOI: 10.1080/01932699708943740
- Paul, R., Solans, C., & Erra, P. (2005). Study of a natural dye solubilisation in o/w microemulsions and its dyeing behaviour. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 253(1–3), 175–181. DOI: 10.1016/j.colsurfa.2004.11.003
- Petcu, A. R., Lazar, C. A., Rogozea, E. A., Olteanu, N. L., Meghea, A., & Mihaly, M. (2016). Nonionic microemulsion systems applied for removal of ionic dyes mixtures from textile industry wastewaters. *Separation and Purification Technology*, 158, 155–159. DOI: 10.1016/j.seppur.2015.12.002
- Pfruender, H., Jones, R., & Weuster-Botz, D. (2006). Water immiscible ionic liquids as solvents for whole cell biocatalysis. *Journal of Biotechnology*, 124 (1), 182–190.
- Pieruschka, P., & Marcelja, S. (1994). Monte Carlo simulation of curvature-elastic interfaces. *Langmuir*, 10 (2), 345–350. DOI: 10.1016/j.jbiotec.2005.12.004
- Plechkova, N. V., & Seddon, K. R. (2008). Applications of ionic liquids in the chemical industry. *Chemical Society Reviews*, 37(1), 123–150. DOI: 10.1039/B006677J
- Poliakoff, M., Fitzpatrick, J. M., Farren, T. R., & Anastas, P. T. (2002). Green chemistry: science and politics of change. *Science*, 297(5582), 807–810. DOI: 10.1126/science.297.5582.807
- Porada, J. H., Mansueto, M., Laschat, S., & Stubenrauch, C. (2011). Microemulsions with novel hydrophobic ionic liquids. *Soft Matter*, 7(15), 6805–6810. DOI: 10.1039/C1SM05821E
- Porada, J. H., Mansueto, M., Laschat, S., & Stubenrauch, C. (2017). Microemulsions with hydrophobic ionic liquids: influence of the structure of the anion. *Journal of Molecular Liquids*, 227, 202–209. DOI: 10.1016/j.molliq.2016.12.014
- Pramanik, R., Ghatak, C., Rao, V. G., Sarkar, S., & Sarkar, N. (2011). Room temperature ionic liquid in confined media: a temperature dependence solvation study in [bmim][BF₄]/BHDC/benzene reverse micelles. *The Journal of Physical Chemistry B*, 115 (19), 5971–5979. DOI: 10.1021/jp109088h
- Pramanik, R., Sarkar, S., Ghatak, C., Rao, V. G., & Sarkar, N. (2011). Ionic liquid containing microemulsions: probe by conductance, dynamic light scattering, diffusion-ordered spectroscopy NMR measurements, and study of solvent relaxation dynamics. *The Journal of Physical Chemistry B*, 115(10), 2322–2330. DOI: 10.1021/jp110896w
- Prat, D., Hayler, J., & Wells, A. (2014). A survey of solvent selection guides. *Green Chemistry*, 16 (10), 4546–4551. DOI: 10.1039/C4GC01149J
- Prince, L. M. (2012). Microemulsions theory and practice. *Chemical Communications*.
- Qiu, Z., & Texter, J. (2008). Ionic liquids in microemulsions. *Current Opinion in Colloid & Interface Science*, 13 (4), 252–262. DOI: 10.1016/j.cocis.2007.10.005
- Radi, S., Toubi, Y., El-Massaoudi, M., Bacquet, M., Degoutin, S., & Mabkhot, Y. N. (2016). Efficient extraction of heavy metals from aqueous solution by novel hybrid material based on silica particles bearing new Schiff base

- receptor. *Journal of Molecular Liquids*, 223, 112–118. DOI: 10.1016/j.molliq.2016.08.024
- Rai, R., & Pandey, S. (2014). Evidence of water-in-ionic liquid microemulsion formation by nonionic surfactant Brij-35. *Langmuir*, 30(34), 10156–10160. DOI: 10.1021/la502174a
- Rakshit, A. K., & Moulik, S. P. (2009). Physicochemistry of W/O microemulsions: Formation, stability, and droplet clustering. *Microemulsions: Properties and Applications*, 144, 17–57. DOI: 10.1016/j.colsurfa.2013.04.049
- Rakshit, A. K., Naskar, B., & Moulik, S. P. (2019). Commemorating 75 years of microemulsion. *Current Science*, 116(6), 898–912. DOI: 10.18520/cs/v116/i6/898-912
- Rao, V. G., Banerjee, C., Ghosh, S., Mandal, S., & Sarkar, N. (2015). Designing a New Strategy for the Formation of IL-In-Oil Microemulsions Containing Double Chain Surface-Active Ionic Liquid. *Ionic Liquid-Based Surfactant Science*. Wiley Online Library.
- Rao, V. G., Mandal, S., Ghosh, S., Banerjee, C., & Sarkar, N. (2012a). Aggregation behaviour of Triton X-100 with a mixture of two room-temperature ionic liquids: can we identify the mutual penetration of ionic liquids in ionic liquid containing micellar aggregates? *The Journal of Physical Chemistry B*, 116(47), 13868–13877. DOI: 10.1021/jp309106a
- Rao, V. G., Mandal, S., Ghosh, S., Banerjee, C., & Sarkar, N. (2012b). Ionic liquid-in-oil microemulsions composed of double chain surface active ionic liquid as a surfactant: temperature dependent solvent and rotational relaxation dynamics of coumarin-153 in [Py][TF₂N]/[C₄mim][AOT]/benzene microemulsions. *The Journal of Physical Chemistry B*, 116(28), 8210–8221. DOI: 10.1021/jp304668f
- Ray, S., & Moulik, S. P. (1994). Dynamics and thermodynamics of aerosol OT-aided nonaqueous microemulsions. *Langmuir*, 10(8), 2511–2515. DOI: 10.1021/la00020a005
- Rico, I., & Lattes, A. (1987). Formamide as a water substitute. IX. Waterless microemulsions. 6. A new type of water-insoluble surfactants and nonaqueous microemulsions. *Surfactant Science Series*, 24, 357–375.
- Rodriguez-Abreu, C., Shrestha, L. K., Varade, D., Aramaki, K., Maestro, A., Quintela, A. L., & Solans, C. (2007). Formation and properties of reverse micellar cubic liquid crystals and derived emulsions. *Langmuir*, 23(22), 11007–11014. DOI: 10.1021/la701722f
- Rogers, Robin D. (2002). Ionic liquids: industrial applications to green chemistry. *ACS Symposium Series*.
- Rogers, Robin D., & Seddon, K. R. (2003). Ionic liquids--solvents of the future? *Science*, 302(5646), 792–793. DOI: 10.1126/science.1090313
- Rojas, O., & Koetz, J. (2010). Microemulsions with ionic liquids. *J Surface Sci Technol*, 26, 173–196.
- Rosen Milton, J. (2004). *Surfactants and interfacial phenomena*. 3-rd ed. New Jersey: John Wiley & Sons, Inc.
- Saeki, S., Kuwahara, N., Nakata, M., & Kaneko, M. (1976). Upper and lower critical solution temperatures in poly (ethylene glycol) solutions. *Polymer*, 17(8), 685–689. DOI: 10.1016/0032-3861(76)90208-1
- Saidi, Z., Mathew, C., Peyrelasse, J., & Boned, C. (1990). Percolation and critical exponents for the viscosity of microemulsions. *Physical Review A*, 42 (2) 872. DOI: 10.1103/PhysRevA.42.872

- Salleh, I. K., Misra, S., Ibrahim, J. M. B. M., & Panuganti, S. R. (2019). Micro-emulsion based dissolver for removal of mixed scale deposition. *Journal of Petroleum Exploration and Production Technology*, 9(4), 2635–2641. DOI: 10.1007/s13202-019-0643-8
- Schubert, K. V, Busse, G., Strey, R., & Kahlweit, M. (1993). Microemulsions with formamide as polar solvent. *The Journal of Physical Chemistry*, 97(1), 248–254. DOI: 10.1021/j100103a043
- Schulman, J. H., Stoeckenius, W., & Prince, L. M. (1959). Mechanism of formation and structure of micro emulsions by electron microscopy. *The Journal of Physical Chemistry*, 63(10), 1677–1680. DOI: 10.1021/j150580a027
- Schwarze, M., Pogrzeba, T., Volovych, I., & Schomäcker, R. (2015). Microemulsion systems for catalytic reactions and processes. *Catalysis Science & Technology*, 5(1), 24–33. DOI: 10.1039/C4CY01121J
- Schwering, R., Ghosh, D., Strey, R., & Sottmann, T. (2015). Sugar-Based Microemulsions as Templates for Nanostructured Materials: A Systematic Phase Behaviour Study. *Journal of Chemical & Engineering Data*, 60(1), 124–136. DOI: 10.1021/je500862w
- Seth, D., Chakraborty, A., Setua, P., & Sarkar, N. (2007). Interaction of ionic liquid with water with variation of water content in 1-butyl-3-methyl-imidazolium hexafluorophosphate ([bmim][PF₆])/TX-100/water ternary microemulsions monitored by solvent and rotational relaxation of coumarin 153 and coumarin 490. *The Journal of Chemical Physics*, 126(22), 224512. DOI: 10.1063/1.2736378
- Shah, D. O. (1981). *Surface phenomena in enhanced oil recovery*. Springer. DOI: 10.1007/978-1-4757-0337-5
- Shah, D., Micelles, D. O. (1998). *Microemulsions and Monolayers: Science and Technology*. CRC Press, NY, USA. DOI: 10.1201/9780203747339
- Shah, S. S., Naeem, K., Shah, S. W. H., & Laghari, G. M. (2000). Differential absorbance measurements of amphiphilic hemicyanine dyes, solubilization study in anionic surfactant. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 168(1), 77–85. DOI: 10.1016/S0927-7757(99)00520-8
- Shan, Z., Yan-zhao, Y., Tao, Z., Jian, H., & Chang-Hong, L. (2005). Uranium (VI) extraction by Winsor II microemulsion systems using trialkyl phosphine oxide. *Journal of Radioanalytical and Nuclear Chemistry*, 265(3), 419–421. DOI: 10.1007/s10967-005-0843-1
- Shang, K., Yang, Y. Z., Guo, J. X., Lu, W. J., Liu, F., & Wang, W. (2012). Extraction of cobalt by the AOT microemulsion system. *Journal of Radioanalytical and Nuclear Chemistry*, 291(3), 629–633. DOI: 10.1007/s10967-011-1443-x
- Shen, L. C., Lo, A., Nguyen, X. T., & Hankins, N. P. (2016). Recovery of heavy metal ions and recycle of removal agent in the polymer--surfactant aggregate process. *Separation and Purification Technology*, 159, 169–176. DOI: 10.1016/j.seppur.2015.12.025
- Shu, Y., Cheng, D., Chen, X., & Wang, J. (2008). A reverse microemulsion of water/AOT/1-butyl-3-methylimidazolium hexafluorophosphate for selective extraction of hemoglobin. *Separation and Purification Technology*, 64(2), 154–159. DOI: 10.1016/j.seppur.2008.09.010

- Sierra, M. L., & Svensson, M. (1999). Mixed micelles containing alkylglycosides: effect of the chain length and the polar head group. *Langmuir*, *15*(7), 2301–2306. DOI: 10.1021/la9804177
- Sjöblom, J., Lindberg, R., & Friberg, S. E. (1996). Microemulsions-phase equilibria characterization, structures, applications and chemical reactions. *Advances in Colloid and Interface Science*, *65*, 125–287. DOI: 10.1016/0001-8686(96)00293-X
- Sligh, J. L., & Brenner, A. (1963). Galvanostalometry: A New Technique, Based on the Negative Pressure of Liquids, for Investigating Electrochemical Phenomena at an Electrode. *Journal of The Electrochemical Society*, *110*(11), 1136. DOI: 10.1149/1.2425606
- Söderlind, E., Wollbratt, M., & von Corswant, C. (2003). The usefulness of sugar surfactants as solubilizing agents in parenteral formulations. *International Journal of Pharmaceutics*, *252*(1–2), 61–71. DOI: 10.1016/S0378-5173(02)00599-9
- Solanki, J. N., & Murthy, Z. V. P. (2011). Reduction of 4-chlorophenol by Mg and Mg-Ag bimetallic nanocatalysts. *Industrial & Engineering Chemistry Research*, *50*(24), 14211–14216. DOI: 10.1021/ie2022338
- Solanki, S. H., & Patil, S. R. (2021). Phase behaviour and microstructure of sugar surfactant-ionic liquid microemulsions. *Journal of Dispersion Science and Technology*, *42*(8), 1174–1183. DOI: 10.1080/01932691.2020.1731528
- Solanki, S. H., & Patil, S. R. (2020). Hydrophobic Ionic Liquid/Sugar Surfactant (Plantacare K-55)/Water Micromulsions: Phase studies and Effect of Co-surfactants. *Interwoven – an Interdisciplinary Journal of Navrachana University*, *2* (2).
- Solans, C., & Kunieda, H. (1996). *Industrial applications of microemulsions* (Vol. 66). CRC Press.
- Sottmann, T., & Stubenrauch, C. (2008). *Microemulsions: Background, New Concepts, Applications, Perspectives*, University College Dublin, Ireland. Wiley.
- Spiro, M., & de Jesus, D. M. (2000). Nanoparticle catalysis in microemulsions: oxidation of n, n-dimethyl-p-phenylenediamine by cobalt (III) pentaammine chloride catalyzed by colloidal palladium in water/AOT/n-heptane microemulsions. *Langmuir*, *16*(4), 2464–2468. DOI: 10.1021/la990861p
- Stark, A. (2007). *KR Seddon in Kirk-Othmer Encyclopedia of Chemical Technology*, Vol. 26. Wiley-Interscience, New York.
- Steytler, D. C., Towey, T. F., Robinson, B. H., & Atay, N. Z. (2001). Mechanisms of solute interfacial transfer in Winsor-II systems. *Langmuir*, *17*(2), 417–426. DOI: 10.1021/la0009902
- Strey, R. (1994). Microemulsion microstructure and interfacial curvature. *Colloid and Polymer Science*, *272*(8), 1005–1019. DOI: 10.1007/BF00658900
- Sun, Y., Yan, K., & Huang, X. (2014). Formation, characterization and enzyme activity in water-in-hydrophobic ionic liquid microemulsion stabilized by mixed cationic/nonionic surfactants. *Colloids and Surfaces B: Biointerfaces*, *122*, 66–71. DOI: 10.1016/j.colsurfb.2014.06.040

- Svensson, D., & Adlercreutz, P. (2011). Characterisation of a glycosylated alkyl polyglycoside produced by a cyclodextrin glycosyltransferase by HPLC-ELSD and-MS. *Journal of Chromatography B*, 879(21), 1857–1860. DOI: 10.1016/j.jchromb.2011.04.037
- Tadros, T. F. (2006). *Applied surfactants: principles and applications*. John Wiley & Sons.
- Tao, Z., Yan-Zhao, Y., Zhan-Yu, L., Chuan-Bo, X., & Xue-Mei, X. (2006). Extraction of cobalt by CTMAB-pentanol-heptane-HCl Winsor II microemulsion systems. *Journal of Radioanalytical & Nuclear Chemistry*, 267(2).
- Petcu, A. R., Lazar, C. A., Rogozea, E. A., Olteanu, N. L., Meghea, A., & Mihaly, M. (2016). Nonionic microemulsion systems applied for removal of ionic dyes mixtures from textile industry wastewaters. *Separation & Purification Technology*, 158, 155-159. DOI: 10.1016/j.seppur.2015.12.002
- Tessendorf, R. (2007). *Microemulsions as Templates for New Materials*. University College Dublin.
- Thater, J. C., Gerard, V., & Stubenrauch, C. (2014). Microemulsions with the ionic liquid ethylammonium nitrate: phase behaviour, composition, and microstructure. *Langmuir*, 30(28), 8283–8289. DOI: 10.1021/la501899c
- Thomaier, S. (2009). *Formulation and characterization of new innovative colloidal systems involving ionic liquids for the application at high temperatures*. DOI: 10.5283/epub.12348
- Thomaier, S., & Kunz, W. (2007). Aggregates in mixtures of ionic liquids. *Journal of Molecular Liquids*, 130(1–3), 104–107. DOI: 10.1016/j.molliq.2006.04.013
- van Rantwijk, F., & Sheldon, R. A. (2007). Biocatalysis in ionic liquids. *Chemical Reviews*, 107(6), 2757–2785. DOI: 10.1039/B110008B
- Velasco, S. B., Turmine, M., Di Caprio, D., & Letellier, P. (2006). Micelle formation in ethyl-ammonium nitrate (an ionic liquid). *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 275(1–3), 50–54. DOI: 10.1016/j.colsurfa.2005.09.017
- Vinhal, J. O., & Cassella, R. J. (2019). Novel extraction induced by microemulsion breaking for Cu, Ni, Pb and V determination in ethanol-containing gasoline by graphite furnace atomic absorption spectrometry. *Spectrochimica Acta Part B: Atomic Spectroscopy*, 151, 33–40. DOI: 10.1016/j.sab.2018.11.007
- Vishwakarma, S. (2001). Ionic liquids-designer solvents for green chemistry. *International Journal of Basic Sciences and Applied Computing*, 1(1).
- von Rybinski, W., & Hill, K. (1998). Alkyl polyglycosides-properties and applications of a new class of surfactants. *Angewandte Chemie International Edition*, 37(10), 1328–1345. DOI: 10.1002/(SICI)1521-3773
- Wasserscheid, P., & Keim, W. (2000). Ionic liquids-new "solutions" for transition metal catalysis. *Angewandte Chemie International Edition*, 39(21), 3772–3789. DOI: 10.1002/1521-3773
- Weerawardena, A., Boyd, B. J., Drummond, C. J., & Furlong, D. N. (2000). Removal of a solid organic soil from a hard surface by glucose-derived surfactants: effect of surfactant chain length, headgroup polymerisation and anomeric configuration. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 169(1–3), 317–

328. DOI: 10.1016/S0927-7757(00)00447-7
- Wei, G. T., Yang, Z., & Chen, C.-J. (2003). Room temperature ionic liquid as a novel medium for liquid/liquid extraction of metal ions. *Analytica Chimica Acta*, 488(2), 183–192. DOI: 10.1016/S0003-2670(03)00660-3
- Wasserscheid, P., & Welton, T. (2008). *Ionic liquids in synthesis*. Wiley Online Library, 380. DOI: 10.1002/9783527621194
- Welton, T. (1999). Room-temperature ionic liquids. Solvents for synthesis and catalysis. *Chemical Reviews*, 99(8), 2071–2084. DOI: 10.1021/cr980032
- Wilkes, J. S., & Zaworotko, M. J. (1992). Air and water stable 1-ethyl-3-methylimidazolium based ionic liquids. *Journal of the Chemical Society, Chemical Communications* (13). The Royal Society of Chemistry. DOI: 10.1039/C39920000965
- Winsor, P. A. (1948). Hydrotropy, solubilisation and related emulsification processes. *Transactions of the Faraday Society*, 44, 376–398. DOI: 10.1039/TF9484400376
- Winsor, P. A. (1954). *Solvent properties of amphiphilic compounds Butterworth's Scientific*. London.
- Wormuth, K. R., Cadwell, L. A., & Kaler, E. W. (1990). Solubilization of dyes in microemulsions. *Langmuir*, 6(6), 1035–1040. DOI: 10.1021/la00096a001
- Wormuth, K. R., & Kaler, E. W. (1987). Amines as microemulsion cosurfactants. *Journal of Physical Chemistry*, 91(3), 611–617. DOI: 10.1021/j100287a025
- Xia, C.B., Yang, Y.-Z., Xin, X. M., & Wang, S. X. (2008). Extraction of rare earth metal samarium by microemulsion. *Journal of Radioanalytical and Nuclear Chemistry*, 275(3), 535–540. DOI: 10.1007/s10967-007-6960-2
- Xue, L., Qiu, H., Li, Y., Lu, L., Huang, X., & Qu, Y. (2011). A novel water-in-ionic liquid microemulsion and its interfacial effect on the activity of laccase. *Colloids and Surfaces B: Biointerfaces* 82 (2), 432-437. DOI: 10.1016/j.colsurfb.2010.09.016
- Zaib, H., Din, M. I., Sana, N., Manzar, I. (2013). Recovery of cobalt and copper from textile, electroplating and tannery effluents using electrocoagulation method. *Hydrology: Current Research*, 4(1).
- Zawodzinski, T. A., Carlin, R. T., & Osteryoung, R. A. (1987). Removal of protons from ambient-temperature chloroaluminate ionic liquids. *Analytical Chemistry*, 59(21), 2639–2640. DOI: 10.1021/ac00148a023
- Zech, O., Harrar, A., & Kunz, W. (2011). Nonaqueous microemulsions containing ionic liquids-properties and applications. *Ionic Liquids: Theory, Properties, New Approaches*, 245–270.
- Zech, O., Thomaier, S., Bauduin, P., Ruck, T., Touraud, D., & Kunz, W. (2009). Microemulsions with an ionic liquid surfactant and room temperature ionic liquids as polar pseudo-phase. *The Journal of Physical Chemistry B*, 113(2), 465–473. DOI: 10.1021/jp8061042
- Zech, O., Thomaier, S., Kolodziejcki, A., Touraud, D., Grillo, I., & Kunz, W. (2010a). Ethylammonium nitrate in high temperature stable microemulsions. *Journal of Colloid and Interface Science*, 347(2), 227–232.

- DOI: 10.1016/j.jcis.2010.03.031
- Zech, O., Thomaier, S., Kolodziejcki, A., Touraud, D., Grillo, I., & Kunz, W. (2010b). Ionic liquids in microemulsions-a concept to extend the conventional thermal stability range of microemulsions. *Chemistry--A European Journal*, 16(3), 783–786. DOI: 10.5283/epub.12217
- Zhao, Y., Chen, X., & Wang, X. (2009). Liquid crystalline phases self-organized from a surfactant-like ionic liquid C16mimCl in ethylammonium nitrate. *The Journal of Physical Chemistry B*, 113(7), 2024–2030. DOI: 10.1021/jp810613c
- Zheng, Y., & Eli, W. (2009). Study on the polarity of bmimPF₆/Tween80/toluene microemulsion characterized by UV-visible spectroscopy. *Journal of Dispersion Science and Technology*, 30(5), 698–703. DOI: 10.1080/01932690802553890
- Zhu, X., Wei, H., Hou, M., Wang, Q., You, X., & Li, L. (2020). Thermodynamic behaviour and flotation kinetics of an ionic liquid microemulsion collector for coal flotation. *Fuel*, 262, 116627. DOI: 10.1016/j.fuel.2019.116627
- Zulauf, M., & Eicke, H. F. (1979). Inverted micelles and microemulsions in the ternary system water/aerosol-OT/isooctane as studied by photon correlation spectroscopy. *Journal of Physical Chemistry*, 83(4), 480–486. DOI: 10.1021/j100467a011